


# BARADINE

TAKE A GOOD BRAKE & ENJOY YOUR LIFE



## BARADINE

Baradine Rubber Industrial Co., Ltd.  
50064 No., 377, Punei St., Yenho Li, Changhua, Taiwan  
Tel : 886-4-7112650 Fax : 886-4-7120839  
E-mail : baradine@ms25.hinet.net



2015-2016

# BARADINE

## INTRODUCTION

Since its foundation, Baradine has been renowned as market leader for cycle braking products.

This reputation is strengthened by its technical expertise and thirty years experience.

A commitment to research, development, testing and manufacture and above a passion for cycling ensures that Baradine leads where others can only follow.

Baradine products are manufactured to exacting standards using scientifically developed compounds and designs for each and every type of braking system. This is achieved by taking account of specific operational requirements and environmental conditions. So whether you're taking a leisurely Sunday morning ride, competing in tour de France or taking on the best in the down hill championships, you can be confident that your brakes will meet and exceed your expectations.


The Baradine logo on your braking products is your guarantee of performance, reliability and quality; don't settle for second best.

# OEM PRODUCTS GUIDE

## CONTENTS

- 01 ROTOR
- 03 ADAPTOR DISC BRAKE
- 04 CENTER LOCK
- 05 DISC PADS
- 13 ABS TECH
- 14 EXTRA LIGHT
- 15 V-TYPE
- 19 ROAD
- 23 CANTILEVER
- 25 CALIPER
- 26 BMX
- 27 COOLING SOLUTION
- 32 HOSE
- 34 INNER WIRE
- 35 OUTER CASING
- 36 SEAT CLAMP
- 37 SKEWER
- 39 ACCESSORIES

# ROTOR



## DB-06FB • FLOATING

- Outer Disc SUS 410
- Inner Disc ALU. 7075-T6
- Excellent heat dissipation

SIZE	WEIGHT
160MM	111.5 g
180MM	138.5 g




## DB-07/08TP

- Outer Disc SUS 410
- Inner Disc ALU. 7075-T6
- Excellent heat dissipation
- 2-piece



SIZE	WEIGHT
160MM	100.5 g
180MM	123.5 g



DB-07TP



DB-08TP



## DB-01

- Stainless steel 304
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	115.5 g
180MM	135.5 g
203MM	194.5 g



## DB-02

- Stainless steel 304
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	140 g
180MM	173.5 g
203MM	200.5 g



## DB-07

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
140MM	68 g
160MM	85 g
180MM	106.5 g
185MM	107.5 g
203MM	131 g

## DB-07D

Spider with optional color



## DB-05

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	83.5 g
180MM	111.5 g
203MM	143 g

## DB-05D

Spider with optional color



## DB-10

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	91 g
180MM	116 g
203MM	127 g

# ADAPTOR

Gold Blue Red Green



PM-IS-F160



PM-IS-R160



PM-IS-F180



PM-IS-R180



PM-IS-F203



PM-IS-R203



PM-PM-F180



PM-PM-F203



IS-IS-F180

## CENTER LOCK



CALIPER	FORK	FRAME	ROTOR	ITEM NO.
IS	IS		180	IS-IS-F180
PM	IS		160	PM-IS-F160
	IS		180	PM-IS-F180
	IS		203	PM-IS-F203
	PM		180	PM-PM-F180
	PM		203	PM-PM-F203
		IS	160	PM-IS-R160
		IS	180	PM-IS-R180
		IS	203	PM-IS-R203

## ADVANTAGES

Min black-lash  
Extremely light weight(23g)  
Improved Strength

GOLD Silver RED BLUE BLACK

## FEATURE

1. Precision broached spline
2. CNC aluminum shoulder pins
3. Steel carrier plate
4. CNC aluminum locking ring



# DISC PADS

## SHIMANO



**DS-09+SP-09**

XT BR-M755/756  
Grimeca system 8  
Sram 9.0, Hope Mono M4



**DS-10+SP-10**

Shimano Deore M575, M525,  
M515, M495, M486, M485, M475,  
M466, M465, M447, M446, M445,  
M416, M415, M395 and M375,  
Nexave C501 and C601,  
RST D-power, Tektro Aquila,  
Draco, Auriga, Gemini, Orion,  
Dorado and HDC, TRP Hylex,  
HYRD and Spyre and  
Giant MPH Root.



**DS-15+SP-15**

Shimano Deore M555 and  
Nexave C901 hydraulic.



**DS-17+SP-17**

Shimano XTR M975, M966, M965,  
XTM775, M765, SLX M665,  
LX M585, Deore M535,  
Saint M800 and Hone M601  
and Tektro Dash and Parabox.



**DS-43+SP-43**

Shimano Saint M810,  
Saint M820 and Zee M640  
and Tektro Quadiem  
and Quadiem SL.



**DS-52+SP-52**

Shimano XTR M985, XT M785,  
SLX M675, SLX M666,  
Deore M615, FSA K-Force  
DB-XC-9000 and FSA  
Afterburner DB-XC-9150.

## AVID/SRAM



**DS-11+SP-11**

Avid mechanical 2002-2004,  
Ball Bearing 7, Juicy 7, Juicy 5,  
Juicy 3, Ultimate and  
Promax DSK-950.



**DS-34+SP-34**

Avid Code (2008 - 2010),  
Code 5 and Code 7.



**DS-38+SP-38**

Avid BB5



**DS-44+SP-44**

Avid Elixir, SRAM XX and  
SRAM XO series.



**DS-54+SP-54**

Avid Code (2011 - 2014)  
and Code R.



**DS-55+SP-55**

Avid DB1/DB3.



**DS-56+SP-56**

SRAM HydroR.



**DS-57+SP-57**

Avid-SRAM XO Trail,  
Elixir 7 Trail, Elixir 9 Trail  
and Guide.



Sintered compound is designed to  
produce consistent performance  
in all condition, offer high durability  
and high resistance to contamination  
by mud, water, sand and grit.



Semi compound is specially  
formulated to produce excellent  
all around performance,  
perfect for everyday use.

• The appearance of backing plates may have minor difference due to different compound applied.

## » MAGURA



### DS-04

Magura Louise 1999 - 2001  
and Clara 2000.



### DS-12+PIN-12

Magura Julie 2001 - 2008.



### DS-14+PIN-12

Magura Clara 2001 - 2002/  
Louise 2002 - 2006/ Louise FR



### DS-18+SP-18

Magura Gustav M - 2003



### DS-19+SC0205

Magura Marta and  
Marta SL till 2008.



### DS-36

Magura Louise series  
2007/2008, Julie HP 2009  
and Marta series 2009.



### DS-53

Magura Marta  
MT2 - MT8

## » HAYES



### DS-01+SP-01

Hayes HFX-mag and  
HFX-9-series hydraulic,  
Promax MX1.



### DS-26

Hayes SOLE hydraulic,  
MX2, MX3, MX4, GX2  
and Sole mechanical.



### DS-37 W/SP

Hayes EL Camino.



### DS-40+SP-40

Hayes Stroker Ryde and Dyno.



### DS-41 W/SP

Hayes Stroker Carbon,  
Stroker Trail and  
Stroker Gram.



### DS-45 W/SP

Hayes Stroker Ace.



### DS-49+SP-49

Hayes Prime



## » HOPE



**DS-05+PIN-05**

Hope C2 and O2  
Giant MPH 2000



**DS-20+SP-20**

Hope Mini



**DS-22+SP-22**

Hope M4, E4 and DH4



**DS-48+SP-48**

Hope Tech X2 / Mini X2  
and Tech V2



**DS-58+SP-58**

Hope V4



**DS-24+SP-24**

Hope XC 4-Piston



**DS-28+SP-28**

Hope Mono 6/6ti



**DS-29+SP-29**

Hope Mono Mini



**DS-35+SP-35**

Hope Moto V2



**DS-39**

Hope Mono Trial  
Disc Brakes

## » HOPE

## » FORMULA



**DS-16+SP-16**

Formula B4, Racing XC/Extreme  
FR/DH/B4 Team/Pro/PL and  
Grimeca System 13



**DS-31+SP-31**

Formula Oro



**DS-42+SP-42**

Formula Mega, The One,  
C1, R1, RR1, RX, RO and T1





## » TEKTRO



DS-08

Tektro IO and Novela < 2010



DS-46

Tektro IOX, LYRA and Novela > 2010



DS-59+SP-59

Tektro Dorado (HD-E710)

## » GIANT



DS-21

Giant MPH 2001-2005

## » PROMAX



DS-30

PROMAX DSK-400 DSK 601J&XNINE

## » CANNONDALE



DS-03

Cannondale Coda Caliper

## » ALHONGA



DS-23

Alhonga SNG Mechanical Disc Brake 200M Zoom DB250/350/450/550

## » SUNTOUR



DS-27

Suntour DB XCC-mc

## » RST



DS-06

Rst Mechanical

## » LOGAN



DS-25

Logan

## » DIATECH



DS-32

Diatech Anchor



# ABS TECH

## » Anti-Lock Brake System



### ABS-01VC

- Length: 72mm
- 2-piece V-brake shoe set



### ABS-01VCR

- Length: 72mm
- Replacement for ABS-01VC



### ANTI-LOCK BRAKE SYSTEM

#### Features

- Avoid Pitching Over
- More Braking Control
- Shorten Braking Distance
- Suspension Feeling
- Compatible with Shimano



### ABS-02V

- One-piece ABS-function V-brake shoes
- Length: 72MM



### ABS-01RC

- Length: 55mm
- 2-piece Road brake shoe



### ABS-01RCR

- Length: 55mm
- Replacement for ABS-01RC

# EXTRA LIGHT



### C55D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Gold, Pink/Blue, Black/Ti
- CNC machined brake holders Compatible with all major V-BRAKE
- Length: 72mm



### MTB-971VC

- Extra-light V-brake shoes design
- High braking coefficient rubber compound



### C56D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Blue, Pink/Blue, Black/Ti
- CNC machined brake holders Compatible with all major ROAD BRAKE



### 472C

- Shimano, TRP and all major road brake system compatible
- Full CNC machined extra-light holder
- High-friction coefficient compound



### 500C

- Lightweight cartridge type brake
- Triple contour design
- Pro-range rubber compound



### 460CL

- Campagnolo compatible-2011
- Extra-light holder with fixing spring
- High-friction coefficient compound

# V-TYPE BRAKE SHOES



**MTB-945V**

- Length: 72mm



**MTB-955VC**

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, carbon, anodized
- Available for triple-color pad
- Length: 72mm



**MTB-959V**

- Length: 72mm V-brake pads
- New aqua-guide design
- EN standard compound



**MTB-960V**

- Length: 72mm V-brake pads
- Triple contour design
- EN standard compound



**MTB-945VC**

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: silver, black, titanium, carbon anodized



**MTB-955VC-2**

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Available for triple-color pad
- Length: 72mm



**MTB-959VC**

- Length: 72mm
- All weather compound
- New groove design



**MTB-453CV**

- Length: 55mm
- Suitable for folding bike



**MTB-945VCR**

- Replacement pads for cartridge brake shoes MTB-945VC
- Pad & pins only
- Length: 72mm



**MTB-955VCR**

- Replacement pads for cartridge brake shoes MTB-955VC
- Available for triple-color pad
- Length: 72mm



**MTB-959VCR**

- Replacement pads for cartridge brake shoes MTB-959VC
- Pad & pins only
- Length: 72mm



**MTB-470CV**

- Length: 55mm
- Triple-contour road brake pad
- Triple-color
- Suitable for folding bike



### MTB-935V

- Length: 55mm



### MTB-947V

- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow/Black



### MTB-956V

- 72mm
- Thin, easy-fitting and powerful pads



### MTB-961VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder



### MTB-943V

- Length: 65mm



### MTB-948V

- Length: 60mm



### MTB-957V

- Length: 70mm



### IKO-401.12

- Corratec Bow design
- V-brake shoe set
- Length: 76mm
- Color options: Red/Yellow/Grey



### MTB-946V

- Length: 70mm Available for two-ton color



### MTB-948D

- V-Brake shoes Set
- Black Threaded Type
- Transparent & Blue/Red Brake Block For Alloy Rims
- Length: 60mm





# ROAD BRAKE SHOES



## 432C

- Length: 55mm road brake
- EN standard compound



Black White Red Silver



## 456C

- Cartridge brake shoes set
- Aluminum Pad Holder
- Angle adjustable designed
- Finish: Silver, Carbon anodized
- Replacement pads=model No.453
- Length: 55mm



## 457C

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Ditch way design for wet condition



## 460C

- Length: 55mm cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10
- Finish: Silver, matt black, Carbon anodized



## 453C

- Length: 55mm road brake
- Compatible with Shimano / SRAM brake systems.



## 456CL

- Length: 55mm road brake
- Ultra light holder design
- EN standard compound



## 457

- Length: 55mm
- Replacement for 457C
- Ditch way design for wet condition



## 460C-FC

- Length: 55mm cartridge brake shoes set
- Full-Carbon Pad-holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10



## 453

- Replacement pads for cartridge brake shoes 453C
- Length: 55mm
- Pad Color options: Red/Yellow/White/Brown/Blue/Green/Grey



## 456C-FC

- Length: 55mm cartridge brake shoes set
- Full-Carbon Pad-holder
- Angle adjustable designed
- Replacement pads=model No.453



## 459C

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace
- Finish: Silver, Matt black



## 460

- Length: 55mm
- Replacement for 460C



### 470TC

- Triple-contour road brake pad
- Compatible with all major road brake
- Extra-light holder
- Triple-color
- Holder color available: red,white,black



### 471TC

- Extra light road brake set
- Compatible with all major road brake
- Cartridge available in Ti/Black/Red/Orange



### 450

- Length: 50mm



### 452

- Length: 50mm



### 470TCR

- Replacement for 470TC
- Length: 55mm



### 471TCR

- Replacement for 471TC
- Length: 55mm



### 451

- Length: 50mm



### 458

- Length: 55mm road brake
- Angle adjustable
- Two-tone available
- EN standard compound



### MTB-950

- Length: 50mm
- Trial pad for Magura Hydraulic Rim Brake



### MTB-950T

- Length: 50mm
- Trial pad for Magura Hydraulic Rim Brake



# CANTILEVER BRAKE SHOES



**MTB-930UA**

- Length: 53mm



**MTB-935**

- Length: 55mm



**MTB-938**

- Hardened aluminum post
- Length: 65mm
- Color options: Red/Yellow/Gray/Black



**MTB-942**

- Hardened aluminum post
- Length: 64mm



**MTB-931**

- Length: 53mm



**MTB-936**

- Length: 65mm



**MTB-939**

- Hardened aluminum post
- Length: 64mm
- Color options: Red



**MTB-945**

- Hardened aluminum /steel post
- Length: 72mm



**MTB-934**

- Length: 60mm



**MTB-937**

- Length: 60mm



**MTB-939U**

- Threaded type
- Length: 64mm



**MTB-945VCP**

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver anodized
- Length: 72mm
- Replacement pads=model No.MTB-945VCR





### MTB-947

- Hardened aluminum/steel post
- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow



### IKO-401.11

- Corratec Bow design
- Hardened aluminum post
- Length: 76mm
- Color options: Red/Yellow/Grey

## CALIPER BRAKE SHOES



### 203

- Length: 35mm, 40mm



### 206S

- Length: 35mm



### 203MW

- Length: 40mm
- Taper: 8°
- Embedded Leather Strip



### 207

- Length: 40mm
- X pattern

## BMX BRAKE SHOES



### MTB-948V Clear

- Length: 60mm
- Clear compound for Trial bikes
- V-type brake shoes
- Color option: Yellow/Black/Green/Orange/Blue/Silver



### MTB-960V Clear

- Length: 72mm V-brake pads
- Triple contour design
- Clear compound for Trial bikes
- Color available: Orange/Blue/Yellow/Green/Purple



### MX-100

- Length: 69mm
- Cantilever Post



### MX-100U

- Length: 69mm
- Threaded Post

### MX-300

- Length: 45mm



### MTB-950 Clear

- Length: 50mm
- Clear compound for Trial bikes
- Fit MAGURA hydraulic rim brake



### MX-990

- Length: 50mm
- Trial Pad For Magura Hydraulic Rim Brake
- Color option: Red/Green/Yellow/Transparent



### MX-991

- Length: 37mm
- Trial Pad For Magura Hydraulic Rim Brake
- Color option: Red/Green/Yellow/Transparent

# COOLING SOLUTION

## » CARBON COMPOUND

This is an outstanding compound that gives excellent performance on all carbon rims, giving market leading performance in both dry / wet conditions. As such this is Baradine's NO.1 selling compound and is universally considered as the ideal all round performance that allows users to brake with assertiveness that only comes from knowing yours riding that best ; which is why its also selected by all after market brands which Baradine supply

## » CERAMIC COMPOUND


If you ride ceramic rims then the only compound you'll want to use is Baradine

Baradine has develop a range of super sticky compounds specifically for trails use where you needs huge amounts of stopping power instantaneously,for this compound pad wear / noise take fourth place for the characteristics profile following performance, performance and performance



### 467-CL

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver,black,carbon,anodized
- Available for triple-color pad
- Length: 55mm



Compitable with Shimano,Campy Road and all major road brake system

### 468-PRO

- For Carbon rim
- Length: 55mm
- All weather compound
- Anti-Squeal design
- Replacement for 468SC/468CC



### 468CC

Compatible with Campy (up to 11 speed)

- For Carbon rim
- Length: 55mm
- All weather compound
- Crud Clean&Water Remove function
- Anti-Squeal design



### 468SC

Compatible with Shimano and all major road brake system

- For Alloy rim
- Length: 55mm
- All weather compound
- Crud Clean&Water Remove function
- Anti-Squeal design



### 453-PRO

- Design for optimum performance in all weather conditions
- A unique non-cork based compound which offers higher stopping power with lower heat generation than cork based pad, for a more consistent and power feel



### 453

- Use with ceramic rims only.
- Replacement pads for road cartridge brake shoes 453C
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace



### 453-CORK

- Use with carbon rims only
- Replacement pads for road cartridge brake shoes 453C
- Compatible with Shimano 105SC, Ultegra & Dura-Ace



### 460-CORK

- Use with carbon rims only
- Replacement pads for road cartridge brake shoes 460C
- Compatible with Campagnolo Record, Chorus, Centaur & Veloce 2000



### 460-PRO

- Design for optimum performance in all weather conditions
- A unique non-cork based compound which offers higher stopping power with lower heat generation than cork based pad, for a more consistent and power feel



### 460

- Use with ceramic rims only.
- Replacement pads for road cartridge brake shoes 460C
- Compatible with Campagnolo Record 10, Chorus 10, Centaur 10



### 473CL

- Shimano, TRP and all major road brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoes holder design
- High braking coefficient compound
- For carbon rim use
- Holder color available: White, Black, Silver, Red



### 474CL

- Campagnolo brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoes holder design
- High braking coefficient compound
- For carbon rim use
- Holder color available: White, Black, Silver, Red



### 959VCR-PRO

- Design for optimum performance in all weather conditions
- A unique non-cork based compound which offers higher stopping power with lower heat generation than cork based pad, for a more consistent and power feel



### MTB-945VCR

- Use with ceramic rims only.
- Replacement pads for V-type cartridge brake shoes MTB-945VC Pads & pins only
- Length: 72mm



### 473

- Replacement for 473CL



### 474

- Replacement for 474CL





# RXT




## RXT

Road extend cartridge  
RXT is designed for future trend of larger rim demand of road bike. Compatible with 55mm brake pad, can be used on 27.5" , 29" rim

469










- Length: 55mm
- Water & crud remove design
- Compatible with road cartridge
- For carbon rim use



Water flows along the surface texture to the final surface, escape from the rear opening



AVID  










Part No.	Material	Compatible Systems
BH-101	kevlar+nylon	JUICY 5/7/ULTIMATE/XX
		
BH-102	kevlar+nylon	JUICY 3/3.5 ELIXIR 1/3 CODE /5/R
		
BH-103	kevlar+nylon	ELIXIR R/CR/5/7/9 XO
		
BH-111	kevlar+yarn hose	JUICY 5/7/ULTIMATE/XX
		
BH-112	kevlar+yarn hose	JUICY 3/3.5 ELIXIR 1/3 CODE /5/R
		
BH-113	kevlar+yarn hose	ELIXIR R/CR/5/7/9 XO
		
BH-121	kevlar+stainless hose	JUICY 5/7/ULTIMATE/XX
		
BH-122	kevlar+stainless hose	JUICY 3/3.5 ELIXIR 1/3 CODE /5/R
		
BH-123	kevlar+stainless hose	ELIXIR R/CR/5/7/9 XO
		

MAGURA  

Part No.	Material	Compatible Systems
BH-301	kevlar+nylon	MARTA/SL LOUISE
		
BH-311	kevlar+yarn hose	MARTA/SL LOUISE
		
BH-321	kevlar+stainless hose	MARTA/SL LOUISE
		

# HOSE

SHIMANO  

Part No.	Material	Compatible Systems
BH-201	kevlar+nylon	XTR 2007~2010 DEORE XT2008~2012 DEORE LX 2005~2012 SLX 2009~2011 DEORE 2005~2012 M395/446/495/575
		
BH-202	kevlar+nylon	XTR 2005~2006
		
BH-203	kevlar+nylon	DEORE XT2005~2007 XTR 2011~2012 SAINT SLX 2012 ZEE DEROE 2012
		
BH-211	kevlar+yarn hose	XTR 2007~2010 DEORE XT2008~2012 DEORE LX 2005~2012 SLX 2009~2011 DEORE 2005~2012 M395/446/495/575
		
BH-212	kevlar+yarn hose	XTR 2005~2006
		
BH-213	kevlar+yarn hose	DEORE XT2005~2007 XTR 2011~2012 SAINT SLX 2012 ZEE DEROE 2012
		
BH-221	kevlar+stainless hose	XTR 2007~2010 DEORE XT2008~2012 DEORE LX 2005~2012 SLX 2009~2011 DEORE 2005~2012 M395/446/495/575
		
BH-222	kevlar+stainless hose	XTR 2005~2006
		
BH-223	kevlar+stainless hose	ø2.1e5DEORE XT2005~2007 XTR 2011~2012 SAINT SLX 2012 ZEE DEROE 2012
		

# INNER WIRE

SHIMANO

BRAKE



SHIFT



SPECIFICATION	USE	PART NO.	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-TSC-01	1 PC/HEADER CARD
		BI-S-TSC-02	50 PCS/BOX
		BI-S-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-TSC-01	1 PC/HEADER CARD
		DI-S-TSC-02	50 PCS/BOX
		DI-S-TSC-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SS-01	1 PC/HEADER CARD
		BI-S-SS-02	50 PCS/BOX
		BI-S-SS-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SS-01	1 PC/HEADER CARD
		DI-S-SS-02	50 PCS/BOX
		DI-S-SS-03	100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SG-01	1 PC/HEADER CARD
		BI-S-SG-02	50 PCS/BOX
		BI-S-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SG-01	1 PC/HEADER CARD
		DI-S-SG-02	50 PCS/BOX
		DI-S-SG-03	100 PCS/ BOX

MTB UNIVERSAL

BRAKE



SPECIFICATION	USE	PART NO.	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-M-TSC-01	1 PC/HEADER CARD
		BI-M-TSC-02	50 PCS/BOX
		BI-M-TSC-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-M-SS-01	1 PC/HEADER CARD
		BI-M-SS-02	50 PCS/BOX
		BI-M-SS-03	100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-M-SG-01	1 PC/HEADER CARD
		BI-M-SG-02	50 PCS/BOX
		BI-M-SG-03	100 PCS/ BOX



HEADER CARD



BOX

CAMPAGNOLO

BRAKE







SHIFT



SPECIFICATION	USE	PART NO.	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-C-TSC-01	1 PC/HEADER CARD
		BI-C-TSC-02	50 PCS/BOX
		BI-C-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-C-TSC-01	1 PC/HEADER CARD
		DI-C-TSC-02	50 PCS/BOX
		DI-C-TSC-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-C-SS-01	1 PC/HEADER CARD
		BI-C-SS-02	50 PCS/BOX
		BI-C-SS-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-C-SS-01	1 PC/HEADER CARD
		DI-C-SS-02	50 PCS/BOX
		DI-C-SS-03	100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-C-SG-01	1 PC/HEADER CARD
		BI-C-SG-02	50 PCS/BOX
		BI-C-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-C-SG-01	1 PC/HEADER CARD
		DI-C-SG-02	50 PCS/BOX
		DI-C-SG-03	100 PCS/ BOX

# OUTER CASING

Material	Color	Specification	Part No.	Length	Package
	GN	•Ø5 •Regular 2P coiled brake housing	BH-SD-01	2.5M	header card
	RD		BH-SD-02	7.5M	zip bag
	BK		BH-SD-03	50M	workshop box
	YW	•Ø4 •Standard SP linear shift housing	DH-SD-01	2.2M	header card
	BE		DH-SD-02	6.6M	zip bag
	PK		DH-SD-03	50M	workshop box
	OE				
	YBE	•Ø5 •Yarn braided 2P brake housing	BH-YN-01	2.5M	header card
	YSR		BH-YN-02	7.5M	zip bag
	YRD		BH-YN-03	50M	workshop box
	YPK	•Ø4 •Yarn braided SP linear shift housing	DH-YN-01	2.2M	header card
	YGD		DH-YN-02	6.6M	zip bag
			DH-YN-03	50M	workshop box
	LSR	•Ø5 •Shiny gold/silver 2P brake housing	BH-LA-01	2.5M	header card
			BH-LA-02	7.5M	zip bag
			BH-LA-03	50M	workshop box
	LGD	•Ø5 •Shiny gold/silver SP linear shift housing	DH-LA-01	2.2M	header card
			DH-LA-02	6.6M	zip bag
			DH-LA-03	50M	workshop box
	BK	•Ø5 •Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •50% lighter than standard 2P	BH-AL-01	2.5M	header card
	WE		BH-AL-02	7.5M	zip bag
	RD		BH-AL-03	50M	workshop box
	YW	•Ø4 •Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •35% lighter than standard SP	DH-AL-01	2.2M	header card
	BE		DH-AL-02	6.6M	zip bag
			DH-AL-03	50M	workshop box

# SEAT CLAMP



**BSC01**

CNC AL6061-T6 Aluminum Clamp  
1006CP chromalizer flat head screw  
CNC 6061 Aluminum Lever  
34.9mm/31.8mm



**BSC02**

CNC AL6061-T6 Aluminum Clamp  
10B20CP screw  
CNC 6061 Aluminum Lever  
31.8mm/34.9mm



**BSC03**

CNC AL6061-T6 Aluminum Clamp  
10B20CP screw  
CNC 6061 Aluminum Lever  
31.8mm/34.9mm



**BSC04**

CNC AL6061-T6 Aluminum Clamp  
10B20CP screw  
CNC 6061 Aluminum Lever  
31.8mm/34.9mm



**BSC05**

CNC AL6061-T6 Aluminum Clamp  
10B20CP screw  
CNC 6061 Aluminum Lever  
31.8mm/34.9mm



**BSC06**

CNC AL6061-T6 Aluminum Clamp  
Stainless Steel Pivot  
31.8mm/34.9mm



**BSC07**

CNC AL6061-T6 Aluminum Clamp  
Stainless Steel Pivot  
31.8mm/34.9mm



**BSC08**

CNC AL6061-T6 Aluminum Clamp  
Stainless Steel Pivot  
31.8mm/34.9mm



# SKEWER



**BQR01**

Material: Steel Axle and washer,  
Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm  
Color: Red/Gold/Blue/Black



**BQR02**

Material: Steel Axle with Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm  
Color: Red/Gold/Blue/Black



**BQR05**

Material: Ti. Axle with Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm  
Color: Red/Gold/Blue/Black



**BQR012**

Material: Steel Axle with Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm  
Color: Red/Gold/Blue/Black




**BQR03**

Material: Steel Axle with  
Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm



**BQR04**

Steel Axle and washer,  
Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm  
Color: Red/Gold/Blue/Black



**BQR07**

Material: Steel Axle with Aluminum ends  
Spec: Front M5\*115mm  
Rear M5\*151mm

## ACCESSORIES

	item	spec
	CAPDC 01	fits 4mm shift housing
	CAPBC 01	fits 5mm brake housing
	CAPDA 01	fits 4mm shift housing
	CAPBA 01	fits 5mm brake housing
	TIP 01	fits 1.5mm inner wire
	RB 01	*nylok anti loosen treated *T25 TORX *M5*10mm



## NOTE