



BARADINE


Baradine Rubber Industrial Co., Ltd.
50064 No. 377, Punei St., Yenho Li, Changhua, Taiwan
Tel : 886-4-7112650 Fax : 886-4-7120839
E-mail : baradine@ms25.hinet.net

BARADINE

ALL ABOUT BRAKES



Floating



BARADINE INTRODUCTION

Since its foundation, Baradine has been renowned as market leader for cycle braking products. This reputation is strengthened by its technical expertise and thirty years experience.

A commitment to research, development, testing and manufacture and above a passion for cycling ensures that Baradine leads where others can only follow.


Baradine products are manufactured to exacting standards using scientifically developed compounds and designs for each and every type of braking system. This is achieved by taking account of specific operational requirements and environmental conditions. So whether you're taking a leisurely Sunday morning ride, competing in the Tour de France or taking on the best in the downhill championships, you can be confident that your brakes will meet and exceed your expectations.

The Baradine logo on your braking products is your guarantee of performance, reliability and quality; don't settle for second best.

OEM PRODUCTS GUIDE

CONTENTS

- | | | |
|-------------|---------------------|----------------|
| 01 ROTOR | 03 ADAPTOR | 05 DISC PADS |
| 13 ABS TECH | 14 EXTRA LIGHT | 15 V-TYPE |
| 19 ROAD | 24 CANTILEVER | 26 CALIPER |
| 27 BMX | 28 COOLING SOLUTION | |
| 33 HOSE | 34 OUTER CASING | 35 INNER WIRE |
| 37 SKEWER | 39 SEAT CLAMP | 40 ACCESSORIES |

**DB-06FB · FLOATING**

- Outer Disc SUS 410
- Inner Disc ALU. 7075-T6
- Excellent heat dissipation

SIZE	WEIGHT
160MM	111.5 g
180MM	138.5 g

Red Black Blue Gold Silver

DB-07/08TP

- Outer Disc SUS 410
- Inner Disc ALU. 7075-T6
- Excellent heat dissipation
- 2-piece

Red Black Blue Gold Silver

SIZE	WEIGHT
160MM	100.5 g
180MM	123.5 g



DB-07TP



DB-08TP

**DB-01**

- Stainless steel 304
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	115.5 g
180MM	135.5 g
203MM	194.5 g

**DB-07**

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
140MM	68 g
160MM	85 g
180MM	106.5 g
185MM	107.5 g
203MM	131 g

DB-07D

Spider with optional color

BLACK BLUE RED GREEN GOLD WHITE

**DB-10**


- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	91 g
180MM	116 g
203MM	127 g

**DB-02**

- Stainless steel 304
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	140 g
180MM	173.5 g
203MM	200.5 g

**DB-05**

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

SIZE	WEIGHT
160MM	83.5 g
180MM	111.5 g
203MM	143 g

DB-05D

Spider with optional color

BLACK BLUE RED GREEN GOLD WHITE

**DB-12**

- Stainless steel 410
- Superior Heat dissipation
- Excellent disc wear
- Size : 200mm
- 6pcs bolts included

Gold Blue Red Green



PM-IS-F160



PM-IS-R160



PM-IS-F180



PM-IS-R180



PM-IS-F203



PM-IS-R203



PM-PM-F180



PM-PM-F203



IS-IS-F180

CALIPER	FORK	FRAME	ROTOR	ITEM NO.
IS	IS		180	IS-IS-F180
PM	IS		160	PM-IS-F160
	IS		180	PM-IS-F180
	IS		203	PM-IS-F203
	PM		180	PM-PM-F180
	PM		203	PM-PM-F203
		IS	160	PM-IS-R160
		IS	180	PM-IS-R180
		IS	203	PM-IS-R203



BC02

ADVANTAGES

Min black-lash
Extremely light weight(23g)
Improved Strength

GOLD Silver RED BLUE BLACK

FEATURE

1. Precision broached spline
2. CNC aluminum shoulder pins
3. Steel carrier plate
4. CNC aluminum locking ring
5. Fit 9mm Axle(QR)
6. Torque 30Nm

» SHIMANO

**DS-09+SP-09**

XT BR-M755/756
Grimeca system 8
Sram 9.0, Hope Mono M4

**DS-10+SP-10**

Shimano Deore M575, M525,
M515, M495, M486, M485, M475,
M466, M465, M447, M446, M445,
M416, M415, M395 and M375,
Nexave C501 and C601,
RST D-power, Tektro Aquila,
Draco, Auriga, Gemini, Orion,
Dorado and HDC, TRP Hylex,
HYRD and Spyre and
Giant MPH Root.

**DS-15+SP-15**

Shimano Deore M555 and
Nexave C901 hydraulic.

**DS-17+SP-17**

Shimano XTR M975, M966, M965,
XTM775, M765, SLX M665,
LX M585, Deore M535,
Saint M800 and Hone M601
and Tektro Dash and Parabox.

**DS-43+SP-43**

Shimano Saint M810,
Saint M820 and Zee M640
and Tektro Quadiem
and Quadiem SL.

**DS-52+SP-52**

Shimano XTR M985, XT M785,
SLX M675, SLX M666,
Deore M615, FSA K-Force
DB-XC-9000 and FSA
Afterburner DB-XC-9150.



Sintered compound is designed to
produce consistent performance
in all condition, offer high durability
and high resistance to contamination
by mud, water, sand and grit.



Semi compound is specially
formulated to produce excellent
all around performance,
perfect for everyday use.

• The appearance of backing plates may have minor difference due to different compound applied.

» AVID/SRAM

**DS-11+SP-11**

Avid mechanical 2002-2004,
Ball Bearing 7, Juicy 7, Juicy 5,
Juicy 3, Ultime and
Promax DSK-950.

**DS-34+SP-34**

Avid Code (2008 - 2010),
Code 5 and Code 7.

**DS-38+SP-38**

Avid BB5

**DS-44+SP-44**

Avid Elixir, SRAM XX and
SRAM XO series.

**DS-54+SP-54**


Avid Code (2011 - 2014)
and Code R.

**DS-55+SP-55**

Avid DB1/DB3.

**DS-56+SP-56**

SRAM HydroR.

**DS-57+SP-57**

Avid-SRAM XO Trail,
Elixir 7 Trail, Elixir 9 Trail
and Guide.

» MAGURA

**DS-04**

Magura Louise 1999 - 2001
and Clara 2000.

**DS-12+PIN-12**

Magura Julie 2001 - 2008.

**DS-14+PIN-12**

Magura Clara 2001 - 2002/
Louise 2002 - 2006/ Louise FR

**DS-18+SP-18**

Magura Gustav M - 2003

**DS-19+SC0205**

Magura Marta and
Marta SL till 2008.

**DS-36**

Magura Louise series
2007/2008, Julie HP 2009
and Marta series 2009.

**DS-53**

Magura Marta
MT2 - MT8

**DS-61**

Magura MT5

**DS-62**

Magura MT7

» HAYES

**DS-01+SP-01**

Hayes HFX-mag and
HFX-9-series hydraulic,
Promax MX1.

**DS-26**

Hayes SOLE hydraulic,
MX2, MX3, MX4, GX2
and Sole mechanical.

**DS-37 W/SP**

Hayes EL Camino.

**DS-40+SP-40**

Hayes Stroker Ryde
and Dyno.

**DS-41 W/SP**

Hayes Stroker Carbon,
Stroker Trail and
Stroker Gram.

**DS-45 W/SP**

Hayes Stroker Ace.

**DS-49+SP-49**

Hayes Prime



» HOPE

**DS-05+PIN-05**Hope C2 and O2
Giant MPH 2000**DS-20+SP-20**

Hope Mini

**DS-22+SP-22**

Hope M4, E4 and DH4

**DS-24+SP-24**

Hope XC 4-Piston

**DS-28+SP-28**

Hope Mono 6/6ti

**DS-29+SP-29**

Hope Mono Mini

**DS-35+SP-35**

Hope Moto V2

**DS-39**Hope Mono Trial
Disc Brakes

» HOPE

**DS-48+SP-48**Hope Tech X2 / Mini X2
and Tech V2**DS-58+SP-58**

Hope V4

» FORMULA

**DS-16+SP-16**Formula B4, Racing XC/Extreme
FR/DH/B4 Team/Pro/PL and
Grimeca System 13**DS-31+SP-31**

Formula Oro

**DS-42+SP-42**Formula Mega, The One,
C1, R1, RR1, RX, RO and T1

» TEKTR

**DS-08**

Tektro IO and Novela < 2010

**DS-46**

Tektro IOX, LYRA and Novela > 2010

**DS-59+SP-59**

Tektro Dorado (HD-E710)

» GIANT

**DS-21**

Giant MPH 2001-2005

» PROMAX

**DS-30**

Suits Promax brake:
 A+B: DSK-200,400,420,610/J,650/J,XNINE
 A+A: DSK-320,700

» CANNONDALE

**DS-03**

Cannondale Coda Caliper

» ALHONGA

**DS-23**

Alhonga SNG Mechanical
 Disc Brake 200M
 Zoom DB250/350/450/550

» SUNTOUR

**DS-27**

Suntour DB XCC-mc

» RST

**DS-06**

Rst Mechanical

» LOGAN

**DS-25**

Logan

» DIATECH

**DS-32**

Diatech Anchor

» Anti-Lock Brake System

ABSTECH
ANTI-LOCK BRAKE SYSTEM

- Avoid Pitching Over
- More Braking Control
- Shorten Braking Distance
- Suspension Feeling



ABS-02RC

- 55 mm 2-piece road brake shoes set
- For Alloy rim
- Leather embedded
- Longer lasting (vs. ABS-01RC)
- Kind to rims



ABS-02RCR

- 55mm
- Replacement of ABS-02RC

ABS-01RC

- Length: 55mm
- 2-piece Road brake shoe

ABS-01RCR

- Length: 55mm
- Replacement for ABS-01RC



ABS-01VC

- Length: 72mm
- 2-piece V-brake shoe set

ABS-01VCR

- Length: 72mm
- Replacement for ABS-01VC

ABS-02V

- One-piece ABS-function V-brake shoes
- Length: 72MM



C55D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Gold, Pink/Blue, Black/Ti
- CNC machined brake holders Compatible with all major V-BRAKE
- Length: 72mm



MTB-971VC

- Extra-light V-brake shoes design
- High braking coefficient rubber compound



C56D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Blue, Pink/Blue, Black/Ti
- CNC machined brake holders Compatible with all major ROAD BRAKE



472C

- Shimano, TRP and all major road brake system compatible
- Full CNC machined extra-light holder
- High-friction coefficient compound

500C

- Lightweight cartridge type brake
- Triple contour design

460CL

- Campagnolo compatible-2011
- Extra-light holder with fixing spring
- High-friction coefficient compound

V-TYPE BRAKE SHOES



MTB-945V

- Length: 72mm



MTB-955VC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, carbon, anodized
- Available for triple-color pad
- Length: 72mm



MTB-959V

- Length: 72mm V-brake pads
- New aqua-guide design
- EN standard compound



MTB-960V

- Length: 72mm V-brake pads
- Triple contour design
- EN standard compound



MTB-945VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: silver, black, titanium, carbon anodized



MTB-955VC-2

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Available for triple-color pad
- Length: 72mm



MTB-959VC

- Length: 72mm
- All weather compound
- New groove design



MTB-453CV

- Length: 55mm
- Suitable for folding bike



MTB-945VCR

- Replacement pads for cartridge brake shoes MTB-945VC
- Pad & pins only
- Length: 72mm



MTB-955VCR

- Replacement pads for cartridge brake shoes MTB-955VC
- Available for triple-color pad
- Length: 72mm



MTB-959VCR

- Replacement pads for cartridge brake shoes MTB-959VC
- Pad & pins only
- Length: 72mm



MTB-470CV

- Length: 55mm
- Triple-contour road brake pad
- Triple-color
- Suitable for folding bike

**MTB-935V**

- Length: 55mm

**MTB-947V**

- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow/Black

**MTB-956V**

- 72mm
- Thin, easy-fitting and powerful pads

**MTB-961VC**

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder

**MTB-943V**

- Length: 65mm

**MTB-948V**

- Length: 60mm

**MTB-957V**

- Length: 70mm

**IKO-401.12**


- Corratec Bow design
- V-brake shoe set
- Length: 76mm
- Color options: Red/Yellow/Grey

**MTB-946V**

- Length: 70mm Available for two-ton color

**MTB-948D**

- V-Brake shoes Set
- Black Threaded Type
- Transparent & Blue/Red Brake Block For Alloy Rims
- Length: 60mm



ROAD BRAKE SHOES



453-2

- Length: 55mm
- For Alloy rim use
- Compatible with Shimano direct mount type brake
- Replacement of 453C



460-2

- Length: 55mm
- For Alloy rim use
- Compatible with Campagnolo system (spring hole type)



432C

- Length: 55mm road brake
- EN standard compound



453C

- Length: 55mm road brake
- Compatible with Shimano / SRAM brake systems.

453

- Replacement pads for cartridge brake shoes 453C
- Length: 55mm



460C

- Length: 55mm cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10
- Finish: Silver, matt black, Carbon anodized

460

- Length: 55mm
- For Alloy rim use
- Compatible with Campagnolo system (no spring hole)
- Replacement of 460C

460C-FC

- Length: 55mm cartridge brake shoes set
- Full-Carbon Pad-holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10



456C

- Cartridge brake shoes set
- Aluminum Pad Holder
- Angle adjustable designed
- Finish: Silver, Carbon anodized
- Replacement pads=model No.453
- Length: 55mm

456CL

- Length: 55mm road brake
- Ultra light holder design
- EN standard compound

456C-FC

- Length: 55mm cartridge brake shoes set
- Full-Carbon Pad-holder
- Angle adjustable designed
- Replacement pads=model No.453



457C

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Ditch way design for wet condition

457

- Length: 55mm
- Replacement for 457C
- Ditch way design for wet condition

459C

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace
- Finish: Silver, Matt black

**467CLA**

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, carbon, anodized
- Available for triple-color pad
- Length: 55mm

**468SC**

- Compatible with Shimano and all major road brake system
- For Alloy rim
 - Length: 55mm
 - All weather compound
 - Crud Clean&Water Remove function
 - Anti-Squeal design

**468CC**

- Length: 55mm
- Compatible with Shimano, Campy and all major system (direct mount type excluded)
- Replacement of 468CC and 468SC

**468**

- Compatible with Campy brake
- Length: 55mm
- All weather compound
- Crud Clean&Water Remove function
- Anti-Squeal design

**461C**

- 55mm cartridge road brake shoes set
- Aluminum pad holder
- Compatible with Shimano 105SC, Ultegra&Dura-Ace
- Triple-color pad

**461**

- 55mm
- Replacement of 461C
- Triple-color pad

**470TC**

- Triple-contour road brake pad
- Compatible with all major road brake
- Extra-light holder
- Triple-color
- Holder color available: red, white, black

**470TCR**

- Replacement for 470TC
- Length: 55mm

**471TC**

- Extra light road brake set
- Compatible with all major road brake
- Cartridge available in Ti/Black/Red/Orange

**471TCR**

- Replacement for 471TC
- Length: 55mm

CANTILEVER BRAKE SHOES



MTB-950

- Length: 50mm
- Trial pad for Magura Hydraulic Rim Brake



MTB-950T

- Length: 50mm
- Trial pad for Magura Hydraulic Rim Brake



MTB-931

- Length: 53mm



MTB-936

- Length: 65mm



450

- Length: 50mm



452

- Length: 50mm



MTB-934

- Length: 60mm



MTB-937

- Length: 60mm



451

- Length: 50mm



458

- Length: 55mm road brake
- Angle adjustable
- Two-tone available
- EN standard compound



MTB-935

- Length: 55mm



MTB-942

- Hardened aluminum post
- Length: 64mm



MTB-939

- Hardened aluminum post
- Length: 64mm
- Color options: Red



MTB-939U

- Threaded type
- Length: 64mm



MTB-947

- Hardened aluminum/steel post
- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow



MTB-945

- Hardened aluminum /steel post
- Length: 72mm



MTB-945VCP

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver anodized
- Length: 72mm
- Replacement pads=model No.MTB-945VCR



IKO-401.11

- Corratec Bow design
- Hardened aluminum post
- Length: 76mm
- Color options: Red/Yellow/Grey



203

- Length: 35mm,40mm



203MW

- Length: 40mm
- Taper: 8°
- Embedded Leather Strip



206S

- Length: 35mm



207

- Length: 40mm
- X pattern



BMX BRAKE SHOES



MTB-948V Clear

- Length: 60mm
- Clear compound for Trial bikes
- V-type brake shoes
- Color option: Yellow/Black/ Green/Orange/Blue/Silver



MTB-960V Clear

- Length: 72mm V-brake pads
- Triple contour design
- Clear compound for Trial bikes
- Color available: Orange/Blue/Yellow/Green/Purple



MX-100

- Length: 69mm
- Cantilever Post



MX-100U

- Length: 69mm
- Threaded Post



MX-300

- Length: 45mm



MTB-950 Clear

- Length: 50mm
- Clear compound for Trial bikes
- Fit MAGURA hydraulic rim brake



MX-990

- Length: 50mm
- Trial Pad For Magura Hydraulic Rim Brake
- Color option: Red/Green/Yellow/Transparent



MX-991

- Length: 37mm
- Trial Pad For Magura Hydraulic Rim Brake
- Color option: Red/Green/Yellow/Transparent

COOLING SOLUTION

» CARBON COMPOUND

This is an outstanding compound that gives excellent performance on all carbon rims, giving market leading performance in both dry / wet conditions. As such this is baradine's NO.1 selling compound and is universally considered as the ideal all round performance that allows users to brake with assertiveness that only comes from knowing yours riding that best ; which is why its also selected by all after market brands which Baradine supply

» CERAMIC COMPOUND

If you ride ceramic rims then the only compound you'll want to use is Baradine

Baradine has develop a range of super sticky compounds specifically for trails use where you needs huge amounts of stopping power instantaneously,for this compound pad wear / noise take fourth place for the characteristics profile following performance, performance and performance



467CLC


- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver,black,carbon,anodized
- Available for triple-color pad
- Length: 55mm



467KA

- Length: 55mm
- For CARBON rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLC

Water remove



Compatible with Shimano, Campy Road and all major road brake system

468CC-PRO

Compatible with Campy (up to 11 speed)

- For Carbon rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



468SC-PRO

- Compatible with Shimano brake
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



468-PRO

- For Carbon rim
- Length: 55mm
- All weather compound
- Anti-Squeal design
- Replacement for 468SC/468CC

PRO COMPOUND

- Designed for optimum performance in all weather conditions
- An unique non-cork based compound which offers higher stopping power with lower heat generation than cork based pads, for a more consistent and power feel



453-2-PRO

- Length: 55mm
- For CARBON rim use only
- Compatible with Shimano direct mount type brake
- Replacement of 453C

460-2-PRO

- Length: 55mm
- For CARBON rim use only
- Compatible with Campagnolo system (spring hole type)



453-PRO

- Length: 55mm
- For CARBON rim use only
- Compatible with Shimano and all major system brake
- Replacement of 453C

460-PRO

- Length: 55mm
- For CARBON rim use only
- Compatible with Campagnolo system (no spring hole)
- Replacement of 460C

959VCR-PRO

- Length: 72mm
- For CARBON rim use only
- Compatible with V-brake
- Replacement of 959VC

**453-GREEN**

- Use with ceramic rims only.
- Replacement pads for road cartridge brake shoes 453C
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace

**453-CORK**

- Use with carbon rims only
- Replacement pads for road cartridge brake shoes 453C
- Compatible with Shimano 105SC, Ultegra & Dura-Ace

**460-GREEN**


- Use with ceramic rims only.
- Replacement pads for road cartridge brake shoes 460C
- Compatible with Campagnolo Record 10, Chorus 10, Centaur 10

**460-CORK**

- Use with carbon rims only
- Replacement pads for road cartridge brake shoes 460C
- Compatible with Campagnolo Record, Chorus, Centaur & Veloce 2000

**945VCR-GREEN**

- Use with ceramic rims only.
- Replacement pads for V-type cartridge brake shoes MTB-945VC Pads & pins only
- Length: 72mm



Water flows along the surface texture to the final surface, escape from the rear opening



Desilter/Drain

469

- Length: 55mm
- Water & crud remove design
- Compatible with road cartridge
- For carbon rim use

**473CL**

- Shimano, TRP and all major road brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoes holder design
- High braking coefficient compound
- For carbon rim use
- Holder color available: White, Black, Silver, Red

**474CL**

- Campagnolo brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoes holder design
- High braking coefficient compound
- For carbon rim use
- Holder color available: White, Black, Silver, Red

**473**

- Replacement for 473CL

**474**

- Replacement for 474CL

**RXT**

Road extend cartridge
RXT is designed for future trend of larger rim demand of road bike. Compatible with 55mm brake pad, can be used on 27.5" • 29" rim

HYDRAULIC
HOSE

OUTER CASING

AVID  

Part No.	Material	Compatible Systems
BH-101	kevlar+nylon	JUICY 5/7/ULTIMATE/XX
BH-102		JUICY 3/3.5 ELIXIR 1/3 CODE /S/R
BH-103		ELIXIR R/CR/5/7/9 XO
BH-111	kevlar+yarn hose	JUICY 5/7/ULTIMATE/XX
BH-112		JUICY 3/3.5 ELIXIR 1/3 CODE /S/R
BH-113		ELIXIR R/CR/5/7/9 XO
BH-121	kevlar+stainless hose	JUICY 5/7/ULTIMATE/XX
BH-122		JUICY 3/3.5 ELIXIR 1/3 CODE /S/R
BH-123		ELIXIR R/CR/5/7/9 XO

MAGURA  

Part No.	Material	Compatible Systems
BH-301	kevlar+nylon	MARTA/SL LOUISE
BH-311	kevlar+yarn hose	MARTA/SL LOUISE
BH-321	kevlar+stainless hose	MARTA/SL LOUISE

SHIMANO  

Part No.	Material	Compatible Systems
BH-201	kevlar+nylon	XTR 2007~2010 DEORE XT2008~2012 DEORE LX 2005~2012 SLX 2009~2011 DEORE 2005~2012 M395/446/495/575
BH-202		XTR 2005~2006
BH-203		DEORE XT2005~2007 XTR 2011~2012 SAINT SLX 2012 ZEE DEROE 2012
BH-211	kevlar+yarn hose	XTR 2007~2010 DEORE XT2008~2012 DEORE LX 2005~2012 SLX 2009~2011 DEORE 2005~2012 M395/446/495/575
BH-212		XTR 2005~2006
BH-213		DEORE XT2005~2007 XTR 2011~2012 SAINT SLX 2012 ZEE DEROE 2012
BH-221	kevlar+stainless hose	XTR 2007~2010 DEORE XT2008~2012 DEORE LX 2005~2012 SLX 2009~2011 DEORE 2005~2012 M395/446/495/575
BH-222		XTR 2005~2006
BH-223		ø2.1ø50DEORE XT2005~2007 XTR 2011~2012 SAINT SLX 2012 ZEE DEROE 2012

Material	Color	Specification	Part No.	Length	Package
	GN	•Ø5 •Regular 2P coiled brake housing	BH-SD-01	2.5M	header card
	RD		BH-SD-02	7.5M	zip bag
	BK		BH-SD-03	50M	workshop box
	YW	•Ø4 •Standard SP linear shift housing	DH-SD-01	2.2M	header card
	BE		DH-SD-02	6.6M	zip bag
	PK		DH-SD-03	50M	workshop box
	OE	•Ø5 •Yarn braided 2P brake housing	BH-YN-01	2.5M	header card
	YBE		BH-YN-02	7.5M	zip bag
	YSR		BH-YN-03	50M	workshop box
	YRD	•Ø4 •Yarn braided SP linear shift housing	DH-YN-01	2.2M	header card
	YPK		DH-YN-02	6.6M	zip bag
	YGD		DH-YN-03	50M	workshop box
	LSR	•Ø5 •Shiny gold/silver 2P brake housing	BH-LA-01	2.5M	header card
			BH-LA-02	7.5M	zip bag
			BH-LA-03	50M	workshop box
	LGD	•Ø5 •Shiny gold/silver SP linear shift housing	DH-LA-01	2.2M	header card
			DH-LA-02	6.6M	zip bag
			DH-LA-03	50M	workshop box
	BK	•Ø5 •Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •50% lighter than standard 2P	BH-AL-01	2.5M	header card
	WE		BH-AL-02	7.5M	zip bag
	RD		BH-AL-03	50M	workshop box
	YW	•Ø4 •Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •35% lighter than standard SP	DH-AL-01	2.2M	header card
	BE		DH-AL-02	6.6M	zip bag
			DH-AL-03	50M	workshop box

SHIMANO

BRAKE



SHIFT



SPECIFICATION	USE	PART NO.	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-TSC-01	1 PC/HEADER CARD
		BI-S-TSC-02	50 PCS/BOX
		BI-S-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-TSC-01	1 PC/HEADER CARD
		DI-S-TSC-02	50 PCS/BOX
		DI-S-TSC-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SS-01	1 PC/HEADER CARD
		BI-S-SS-02	50 PCS/BOX
		BI-S-SS-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SS-01	1 PC/HEADER CARD
		DI-S-SS-02	50 PCS/BOX
		DI-S-SS-03	100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SG-01	1 PC/HEADER CARD
		BI-S-SG-02	50 PCS/BOX
		BI-S-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SG-01	1 PC/HEADER CARD
		DI-S-SG-02	50 PCS/BOX
		DI-S-SG-03	100 PCS/ BOX

MTB UNIVERSAL

BRAKE



SPECIFICATION	USE	PART NO.	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-M-TSC-01	1 PC/HEADER CARD
		BI-M-TSC-02	50 PCS/BOX
		BI-M-TSC-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-M-SS-01	1 PC/HEADER CARD
		BI-M-SS-02	50 PCS/BOX
		BI-M-SS-03	100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-M-SG-01	1 PC/HEADER CARD
		BI-M-SG-02	50 PCS/BOX
		BI-M-SG-03	100 PCS/ BOX



HEADER CARD



BOX

CAMPAGNOLO

BRAKE



SHIFT



SPECIFICATION	USE	PART NO.	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-C-TSC-01	1 PC/HEADER CARD
		BI-C-TSC-02	50 PCS/BOX
		BI-C-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-C-TSC-01	1 PC/HEADER CARD
		DI-C-TSC-02	50 PCS/BOX
		DI-C-TSC-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-C-SS-01	1 PC/HEADER CARD
		BI-C-SS-02	50 PCS/BOX
		BI-C-SS-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-C-SS-01	1 PC/HEADER CARD
		DI-C-SS-02	50 PCS/BOX
		DI-C-SS-03	100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-C-SG-01	1 PC/HEADER CARD
		BI-C-SG-02	50 PCS/BOX
		BI-C-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-C-SG-01	1 PC/HEADER CARD
		DI-C-SG-02	50 PCS/BOX
		DI-C-SG-03	100 PCS/ BOX

**BQR01**

Material: Steel Axle and washer,
Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm
Color: Red/Gold/Blue/Black

**BQR02**

Material: Steel Axle with Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm
Color: Red/Gold/Blue/Black

**BQR05**

Material: Ti. Axle with Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm
Color: Red/Gold/Blue/Black

**BQR012**

Material: Steel Axle with Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm
Color: Red/Gold/Blue/Black

**BQR03**

Material: Steel Axle with
Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm

**BQR04**

Steel Axle and washer,
Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm
Color: Red/Gold/Blue/Black

**BQR07**

Material: Steel Axle with Aluminum ends
Spec: Front M5*115mm
Rear M5*151mm

