

# BARADINE

[www.baradine.com.tw](http://www.baradine.com.tw)



# ALL ABOUT BRAKES



# OEM

PRODUCTS GUIDE

Since its foundation, Baradine has been renowned as market leader for cycle braking products. This reputation is strengthened by its technical expertise and thirty years experience. A commitment to research, development, testing and manufacture and above a passion for cycling ensures that Baradine leads where others can only follow.

Baradine products are manufactured to exacting standards using scientifically developed compounds and designs for each and every type of braking system. This is achieved by taking account of specific operational requirements and environmental conditions. So whether you're taking a leisurely Sunday morning ride, competing in tour de France or taking on the best in the down hill championships, you can be confident that your brakes will meet and exceed your expectations.


The Baradine logo on your braking products is your guarantee of performance, reliability, durability and quality; don't settle for second best.

## CONTENTS

---

01	ROTOR	03	ADAPTOR
05	DISC PADS	12	ABS TECH
13	EXTRA LIGHT	14	V-TYPE
16	ROAD	19	CANTILEVER
21	BMX	22	COOLING SOLUTION
25	HYDRAULIC HOSE	26	OUTER CASING
27	INNER WIRE	28	ACCESSORIES






## DB-06FB Floating

- Outer Disc:SUS410
- Inner Disc:7075-T6
- Excellent heat dissipation

Size	Weight
160mm	111.5g
180mm	138.5g
Color	<span style="color:red">●</span> Red <span style="color:black">●</span> Black <span style="color:blue">●</span> Blue <span style="color:yellow">●</span> Gold <span style="color:silver">●</span> Silver



DB-08TP

## DB-08TP

- Outer Disc:SUS410
- Inner Disc:7075-T6
- Excellent heat dissipation
- 2-piece


Size	Weight
160mm	100.5g
180mm	123.5g
Color	<span style="color:red">●</span> Red <span style="color:black">●</span> Black <span style="color:blue">●</span> Blue <span style="color:yellow">●</span> Gold <span style="color:silver">●</span> Silver



## DB-01

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear


Size	Weight
160mm	115.5g
180mm	135.5g
203mm	194.5g



## DB-02

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear


Size	Weight
140mm	94g
160mm	140g
180mm	173.5g
203mm	200.5g



## DB-07

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
140mm	68g
160mm	85g
180mm	106.5g
185mm	107.5g
203mm	131g



## DB-05

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	83.5g
180mm	111.5g
203mm	143g

## DB-07D


Spider with optional color

Color	Black	Blue	Red	Green	Gold	White
-------	-------	------	-----	-------	------	-------

## DB-05D

Spider with optional color


Color	Black	Blue	Red	Green	Gold	White
-------	-------	------	-----	-------	------	-------



## DB-10

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	91g
180mm	116g
203mm	127g



## DB-12

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear
- Size : 200mm
- 6pcs bolts included

# ADAPTOR DISC BRAKE



**PM-IS-F160**



**PM-IS-R160**



**PM-IS-F180**



**PM-IS-R180**



**PM-IS-R203**



**PM-IS-F203**



**PM-PM-F180**



**PM-PM-F203**



**FM-FM-R160**



**PM-FM-R140**



**PM-FM-R160**



**PM-FM-F140**

Color



Blue



Red




Green



Gold

CALIPER	FORK	FRAME	ROTOR	ITEM NO.
IS	IS		180	IS-IS-F180
PM	IS		160	PM-IS-F160
	IS		180	PM-IS-F180
	IS		203	PM-IS-F203
	PM		180	PM-PM-F180
	PM		203	PM-PM-F203
		IS	160	PM-IS-R160
		IS	180	PM-IS-R180
		IS	203	PM-IS-R203
		FM	160	FM-FM-R160
FM		PM	140	PM-FM-R140
		PM	160	PM-FM-R160
	PM		140	PM-FM-F140

\* Note : FM=Flat Mount



## CHAMFERED ROTOR

For who may have safety concern on 90° edges of rotor, Baradine offers optional CNC chamfer service on your rotor, please be aware that only DB-07/DB-12 could be chamfered.

## CENTER LOCK FEATURE

- 1.Precision broached spline
- 2.CNC aluminum shoulder pins
- 3.Steel carrier plate
- 4.CNC aluminium locking ring
- 5.Fit 9mm Axle(QR)
- 6.Torque 30Nm

## ADVANTAGES

Min black-lash  
extremely light weight(23g)  
improved strength

Color	Red	Black	Blue	Gold	Silver
-------	-----	-------	------	------	--------




BC02





# DISC BRAKE PADS

- Reliable organic compound pads with multiple aluminum heat-sink pillars.
- Help heat dissipating quickly.



DS-17F



DS-52F



DS-44F





Sintered compound is designed to produce consistent performance in all condition, offer high durability and high resistance to contamination by mud, water, sand and grit.



Semi compound is specially formulated to produce excellent all around performance, perfect for everyday use.



Organic compound is softer than other compounds, it's gentle to your disc with superior performance, great initial bite feel and quiet, perfect for dry condition




aluminum plate is more than 30% lighter than traditional steel plate  
\*at current only available on DS-10/DS-17/DS-44/DS-52

\* The appearance of backing plates may have minor difference due to different compound applied.

## SHIMANO


### DS-09+SP-09



XT BR-M755/756  
Grimeca system 8  
Sram 9.0, Hope Mono M4



### DS-10+SP-10



Shimano Deore M575, M525, M515, M495, M486, M485, M475, M466, M465, M447, M446, M445, M416, M415, M395 and M375, Nexave C501 and C601, RST D-power, Tektro Aquila, Draco, Auriga, Gemini, Orion, Dorado and HDC, TRP Hylex, HYRD and Spyre Giant MPH Root.



### DS-15+SP-15



Shimano Deore M555 and Nexave C901 hydraulic.



### DS-17+SP-17



Shimano XTR M975, M966, M965, XTM775, M765, SLX M665, LX M585, Deore M535, Saint M800 and Hone M601 and Tektro Dash and Parabox.




### DS-43+SP-43



Shimano Saint M810, Saint M820 and Zee M640 and Tektro Quadiem and Quadiem SL.



### DS-52+SP-52



Shimano Saint M810, Saint M820 and Zee M640 and Tektro Quadiem and Quadiem SL.



### DS-63+SP-63




Shimano Direct Mount (BR-RS505 / RS805)



## AVID / SRAM

### DS-11+SP-11




Avid mechanical 2002-2004, Ball Bearing 7, Juicy 7, Juicy 5, Juicy 3, Ultimate and Promax DSK-950.



# DISC PADS

## AVID / SRAM


### DS-34+SP-34



Avid Code (2008 - 2010), Code 5 and Code 7.




### DS-38+SP-38



AVID BB5




### DS-44+SP-44



Avid Elixir, SRAM XX and SRAM XO series.




### DS-54+SP-54



Avid Code (2011 - 2014) and Code R.




### DS-55+SP-55



Avid DB1/DB3




### DS-56+SP-56



SRAM HydroR.



### DS-57+SP-57




Avid-SRAM XO Trail, Elixir 7 Trail, Elixir 9 Trail and Guide



## MAGURA

### DS-04



Magura Louise 1999 - 2001 and Clara 2000



### DS-12+PIN-12



Magura Julie 2001 - 2008



# MAGURA

## DS-14+PIN-12



Magura Clara 2001-2002/Louise  
2002-2006/ Louise FR  
Promax DSK903



## DS-18+SP-18



Magura Gustav M-2010



## DS-19+SC0205



Magura Marta&Marta SL till  
2008, Clark Skeletal




## DS-36



Magura Louise 2007-2010  
Julie HP 2009, Marta series  
2009



## DS-53



Magura MT2-MT8




## DS-61



MAGURA MT5



## DS-62




Magura MT7



# HAYES

## DS-01+SP-01



Hayes HFX-mag and HFX-9-  
series hydraulic, Promax MX1



## DS-26



Hayes SOLE hydraulic, MX2,  
MX3, MX4, MX5, GX2 and Sole  
mechanical



## DS-37 W/SP



Hayes EL Camino





# DISC PADS

## HAYES


### DS-40+SP-40



Hayes Stroker Ryde and Dyno



### DS-41 W/SP



Hayes Stroker Carbon, Stroker Trail and Stroker Gram




### DS-45 W/SP



Hayes Stroker Ace



### DS-49+SP-49




Hayes Prime



## HOPE


### DS-05+PIN-05



Hope C2 and O2, GIANT MPH 2000



### DS-20+SP-20



Hope Mini




### DS-22+SP-22



Hope M4, E4 and DH4



### DS-24+SP-24



Hope XC 4-Piston



### DS-28+SP-28



Hope Mono 6/6ti



### DS-29+SP-29




Hope Mono Mini



## HOPE


### DS-35+SP-35



Hope Moto V2



### DS-39



Hope Mono Trial Disc Brakes




### DS-48+SP-48



Hope Tech X2 / Mini X2 and  
Tech V2



### DS-58+SP-58



Hope V4



## FORMULA

### DS-16+SP-16



Formula B4, Racing XC/Extreme  
FR/DH/B4 Team/Pro/PL and  
Grimeca System 13



### DS-31+SP-31



Formula Oro



### DS-42+SP-42




Formula Mega, The One, C1,  
R1, RR1, RX, RO&T1



## TEKTRO


### DS-08



Tektro IO and Novela < 2010




### DS-46



Tektro IOX, LYRA and Novela >  
2010























### DS-59+SP-59



Tektro Dorado (HD-E710)



# DISC PADS

GIANT	DS-21		Giant MPH 2001-2005	 
PROMAX	DS-30		A+B: DSK-200, 400, 420, 610/J, 650/J, XNINE A+A: DS-320, 700	 
CANNONDALE	DS-03		Cannondale Coda Caliper	
RST	DS-06		RST Mechanical	
ALHONGA	DS-23		Alhonga SNG Mechanical Disc Brake 200M Zoom DB250/350/450/550	 
LOGAN	DS-25		LOGAN	
SUNTOUR	DS-27	 	Suntour DB XCC-mc	
DIA TECH	DS-32		Diatech Anchor	



# ABS TECH

## ANTI-LOCK BRAKE SYSTEM

- Avoid pitching over
- More braking control
- Shorten braking distance
- Suspension feeling



### ABS-01RC

- Length: 55mm
- 2-piece Road brake shoe



### ABS-01RCR

- Length: 55mm
- Replacement of ABS-01RC



### ABS-01VC

- Length: 72mm
- 2-piece V-brake shoe set



### ABS-01VCR

- Length: 72mm
- Replacement of ABS-01VC



### ABS-02V

- One-piece ABS-function V-brake shoes
- Length: 72mm



## C55D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Gold, Pink/Blue
- CNC machined brake holders Compatible with all major V-BRAKE
- Length: 72mm



## 472C

- Shimano, TRP and all major road brake system compatible
- Full CNC machined extra-light holder
- High-friction coefficient compound



## 500C

- Lightweight cartridge type brake
- Triple contour design



## 460CL

- Campagnolo compatible-2011
- Extra-light holder with fixing spring
- High-friction coefficient compound



## C56D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Blue, Pink/Blue
- CNC machined brake holders Compatible with all major Road Brake



## MTB-971VC

- Extra-light V-brake shoes design
- High braking coefficient rubber compound

# V-TYPE BRAKE SHOES



## MTB-945V

- Length: 72mm

Color	Red	Gold	Gray



## MTB-945VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: silver, black, carbon anodized



## MTB-945VCR

- Replacement pads of cartridge brake shoes MTB-945VC
- Pads & pins only
- Length: 72mm

Color	Red	Gold	Gray



## MTB-955VC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, carbon, anodized
- Available for triple-color pad
- Length: 72mm



## MTB-955VCR

- Replacement pads of cartridge brake shoes MTB-955VC
- Available for triple-color pad
- Pads & Pins only
- Length: 72mm



## MTB-955VC-2

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Available for triple-color pad
- Length: 72mm



## MTB-959V

- Length: 72mm v-brake pads
- New aqua-guide design
- EN standard compound



## MTB-959VC

- Length: 72mm
- All weather compound
- New groove design



## MTB-959VCR

- Replacement pads of cartridge brake shoes MTB-959VC
- Pad & pins only
- Length: 72mm



## MTB-960V

- Length: 72mm V-brake pads
- Triple contour design



## MTB-470CV

- Length: 55mm
- Triple-contour road brake pad
- Triple-color
- Suitable for folding bike



## MTB-453CV

- Length: 55mm
- Suitable for folding bike



# V-TYPE BRAKE SHOES



## MTB-935V

- Length: 55mm



## MTB-943V

- Length: 65mm



## MTB-946V

- Length: 70mm Available for two-ton color



## MTB-947V

- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow/Black



## MTB-948V

- Length: 60mm



## MTB-948D

- V-Brake Shoes Set
- Black Threaded Type
- Transparent & Blue/ Red Brake Block For Alloy Rims
- Length: 60 mm



## MTB-956V

- 72mm
- Thin, easy-fitting and powerful pads



## MTB-957V

- Length: 70mm



## MTB-961VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder



## IKO-401.12

- Corratec Bow design
- Length: 76mm
- Color options: Red/Yellow/Silver

Color	Red	Gold	Gray
-------	-----	------	------

# ROAD BRAKE SHOES



## 453-2

- Length: 55mm
- For Alloy rim use
- Compatible with Shimano direct mount type brake
- Replacement of 453C



## 432C

- Length: 55mm road brake
- EN standard compound

Color	Red	White	Black	Silver
	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



## 453C

- Length: 55mm road brake
- Compatible with Shimano/SRAM brake systems.



## 456CL

- Length: 55mm road brake
- Ultra light holder design



## 456C

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Angle adjustable designed
- Finish: Silver, Carbon anodized
- Replacement pads=model No. 453
- Length: 55mm



## 456C-FC

- Length: 55mm cartridge brake shoes set
- Full-Carbon Pad-holder
- Angle adjustable designed
- Replacement pads=model No.453

# ROAD BRAKE SHOES



## 460-2

- Length: 55mm
- For Alloy rim use
- Compatible with Campagnolo system (spring hole type)



## 460C

- Length: 55mm cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10
- Finish: Silver, matt black, Carbon anodized



## 460C-FC

- Length: 55mm cartridge brake shoes set
- Full-Carbon Pad-holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10



## 457C

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Ditch way design for wet condition



## 457

- Length: 55mm
- Ditch way design for wet condition
- Replacement of 457C



## 459C

- Length: 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Finish: Silver, Matt black



## 467CLA

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, carbon, anodized
- Available for triple-color pad



## 467

- Length: 55mm
- For Alloy rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLA





### 468SC

Compatible with Shimano and all major road brake system

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



### 468CC

Compatible with campy (Up To Speed 11)

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



### 468

- Compatible with both Shimano & Campy brake
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design




### 461C

- 55mm cartridge road brake shoes set
- Aluminum pad holder
- All weather compound
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Triple-color pad



### 461

- 55mm
- Reolacement of 461C
- Triple-color pad



### 470TC

- Triple-contour road brake pad
- Compatible with all major road brake
- Extra-light holder
- Triple-color
- Holder color available: red, white, black

Color	<span style="color: red;">●</span>	<span style="color: white;">●</span>	<span style="color: black;">●</span>
	Red	White	Black



### 470TCR

- Replacement of 470TC
- Length: 55mm



### 471C

- Extra light road brake set
- Compatible all major road brake
- Cartridge available in Ti/Black/Red/Orange

Color	<span style="color: red;">●</span>	<span style="color: orange;">●</span>	<span style="color: black;">●</span>	<span style="color: gray;">●</span>
	Red	Orange	Black	Ti



### 471TCR


- Replacement of 471C
- Length: 55mm

# ROAD BRAKE SHOES



## MTB-950

- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



## MTB-950T

- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



## 450

- Length: 50mm



## 451

- Length: 50mm



## 452

- Length: 50mm



## 458

- Length: 55mm road brake
- Angle adjustable
- Two-tone available

# CANTILEVER BRAKE SHOES



## MTB-931

- Length: 53mm



## MTB-934

- Length: 60mm



## MTB-935

- Length: 55mm



## MTB-936

- Length: 65mm



## MTB-937

- Length: 60mm



## MTB-938

- Length: 65mm



### MTB-939

- Hardened aluminum post
- Length: 64mm
- Color options: Red



### MTB-939U

- Threaded type
- Length: 64mm



### MTB-942

- Hardened aluminum post
- Length: 64mm



### MTB-945

- Hardened steel post
- Length: 72mm



### MTB-945VCP

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver anodized
- Length: 72mm
- Replacement pads=model No. MTB-945VCR



### MTB-947

- Hardened steel post
- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow

Color	Red	Yellow



### IKO-401.11

- Corrattec Bow design
- Hardened aluminum post
- Length: 76mm
- Color options: Red/Yellow/Silver

Color	Red	Yellow	Gray

## CALIPER BRAKE SHOES



### 203

- Length: 35mm, 40mm



### 206S

- Length: 35mm



### 203MW

- Length: 40 mm
- Taper: 8 °
- Embedded Leather Strip



### 207

- Length: 40mm
- X pattern



# BMX BRAKE SHOES



## MTB-948V Clear

- Length: 60mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: stainless/red/yellow/green/orange/blue/purple/black



## MTB-960V Clear

- Length: 60mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: stainless/red/yellow/green/orange/blue/purple/black



## MX-100

- Length: 69mm
- Cantilever Post



## MX-100U

- Length: 69mm
- Threaded Post



## MTB-950 clear

- Length: 50mm
- Clear compound for Trial bikes
- Fit MAGURA hydraulic rim brake



## MX-300

- Length: 45mm



## MTB-990

- Length: 50mm
- Trial Pad For Magura Hydraulic Rim Brake
- Color options: red/green/yellow/transparent



## MTB-991

- Length: 37mm
- Trial Pad For Magura Hydraulic
- Rim Brake
- Color options: red/green/yellow/transparent

# COOLING SOLUTION

## CARBON COMPOUND

this is an outstanding compound that gives excellent performance on all carbon rims , giving market leading performance in both dry/wet conditions .As such this is baradine's NO1 selling compound and is universally considered as the ideal all round performance that allows users to brake with assertiveness that only comes from knowing your riding the best ;which is why its also selected by all after market brands which Baradine supply

## CERAMIC COMPOUND

If you ride ceramic rims then the only compound you'll want to use is Baradine

Baradine has develop a range of super sticky compounds specifically for trails use where you needs huge amounts of stopping power instantaneously , for this compound pad wear / noise take fourth place for the characteristics profile following performance , performance and performance



### 467CLC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, anodized
- Available for triple-color pad
- Length: 55mm




### 467KA

- Length: 55mm
- For Carbin rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLC

# COOLING SOLUTION

## Water Remove



Compatible with Shimano, Campy Road and all major road brake system

### 468-PRO

- For Carbon rim
- Length: 55mm
- All weather compound
- Anti-Squeal design
- Replacement for 468SC/468CC

### 468CC-PRO

Compatible with CAMPY brake (Up to 11 speed)

- For Carbon rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design

### 468SC-PRO

- Compatible with Shimano brake
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design

## PRO COMPOUND



### 453-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Shimano direct mount type brake
- Replacement of 453C



### 460-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Campagnolo system (spring hole type)




### 959VCR-PRO

- Length: 72mm
- For Carbon rim use only
- Compatible with V-brake
- Replacement of 959VC

## INTERVAL PAD

### Spec

Channel designed based on fluid Dynamic, water flows out from the texture to the opening




### Features

- For both alloy and carbon rim use
- Ceramic based all condition compound
- Provides high temperature resistance and no fading
- 20% higher braking force increased for more safety
- Pads could be applied on all Shimano standard and direct mount brake



475




## 453

- Use with ceramic rims only.
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace



## 453-CORK

- Use with carbon rims only
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra&Dura-Ace



## 460

- Use with ceramic rims only.
- Replacement of 460C
- Compatible with Campagnolo Record 10, Chorus 10, Centaur 10



## 460-CORK

- Use with carbon rims only
- Replacement of 460C
- Compatible with Campagnolo Record, Chorus, Centaur&Veloce 2000



## MTB-945VCR

- Use with ceramic rims only.
- Replacement of 945VC
- Pads & pins only
- Legth:72mm



## 473CL

- shimano, TRP and all major road brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



## 474CL

- Campagnolo brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



## 473
























- Replacement of 473CL



## 474


- Replacement of 474CL



Part No.	Material	Compatible Systems	End Fittings
<b>AVID</b>		 	
BH-101	KEVLAR+NYLON	JUICY 5/7/ULTIMATE/XX	HP-A-01 
BH-111	KEVLAR+YARN		
BH-121	KEVLAR+STAINLESS		
BH-102	KEVLAR+NYLON	JUICY 3/3.5, ELIXIR 1/3, code/5/r	HP-A-02 
BH-112	KEVLAR+YARN		
BH-122	KEVLAR+STAINLESS		
BH-103	KEVLAR+NYLON	ELIXIR R/CR/5/7/9 xo	HP-A-03 
BH-113	KEVLAR+YARN		
BH-123	KEVLAR+STAINLESS		
<b>SHIMANO</b>		 	
BH-201	KEVLAR+NYLON	XTR 2007-2010, XT 2008-2012, LX 2005-2012, DEORE 2005-2012	HP-S-01 
BH-211	KEVLAR+YARN		
BH-221	KEVLAR+STAINLESS		
BH-202	KEVLAR+NYLON	XTR 2005-2006	HP-S-02 
BH-212	KEVLAR+YARN		
BH-222	KEVLAR+STAINLESS		
BH-203	KEVLAR+NYLON	DEORE XT 2005-2007	HP-S-03 
BH-213	KEVLAR+YARN		
BH-223	KEVLAR+STAINLESS		
<b>MAGURA</b>		 	
BH-301	KEVLAR+NYLON	MARTA/SL LOIUSE	HP-M-01 
BH-311	KEVLAR+YARN		
BH-321	KEVLAR+STAINLESS		
BH-302	KEVLAR+NYLON	MT 4/5/6/7/8 LOUISE FR	HP-M-02 
BH-312	KEVLAR+YARN		
BH-322	KEVLAR+STAINLESS		
<b>FORMULA</b>		 	
BH-401	KEVLAR+NYLON	R1R/R1/RO/RX/T1/MEGA	HP-F-01 
BH-411	KEVLAR+YARN		
BH-421	KEVLAR+STAINLESS		
<b>HAYES</b>		 	
BH-401	KEVLAR+NYLON	STROKER RYDE/DYNO	HP-H-01 
BH-411	KEVLAR+YARN		
BH-421	KEVLAR+STAINLESS		
<b>TEKTRO</b>		 	
BH-601	KEVLAR+NYLON	AURIGA PRO 2009-2010 AURIGA COMP HDC330 DRACO WS	HP-T-01 
BH-611	KEVLAR+YARN		
BH-621	KEVLAR+STAINLESS		

## COLOR OPTIONS


### KEVLAR+NYLON



### KEVLAR+YARN



### KEVLAR+STAINLESS



## OUTER CASING



BRAKE



SHIFT


MATERIAL	COLOR	SPECIFICATION	Part. No.	LENGTH	PACKAGE
<b>SD</b> 	GN RD BK YW BE PK OE	•Standard 2P coiled brake housing	BH-SD-01	2.5m	header card
			BH-SD-02	7.5m	zip bag
			BH-SD-03	50m	workshop box
		•Standard SP linear shift housing	DH-SD-01	2.2M	header card
			DH-SD-02	6.6M	zip bag
			DH-SD-03	50M	workshop box
<b>YN</b> 	YBE YSR YRD YPK YGD	•Yarn braided 2P brake housing	BH-YN-01	2.5m	header card
			BH-YN-02	7.5m	zip bag
			BH-YN-03	50m	workshop box
		•Yarn braided SP linear shift housing	DH-YN-01	2.2M	header card
			DH-YN-02	6.6M	zip bag
			DH-YN-03	50M	workshop box
<b>LA</b> 	LSR LGD	•Shiny gold/silver 2P brake housing	BH-LA-01	2.5m	header card
			BH-LA-02	7.5m	zip bag
			BH-LA-03	50m	workshop box
		•Shiny gold/silver SP linear shift housing	DH-LA-01	2.2M	header card
			DH-LA-02	6.6M	zip bag
			DH-LA-03	50M	workshop box
<b>AL</b> 	BK WE RD YW BE	•Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •50% lighter than standard 2P	BH-AL-01	2.5m	header card
			BH-AL-02	7.5m	zip bag
			BH-AL-03	50m	workshop box
		•Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •35% lighter than standard SP	DH-AL-01	2.2M	header card
			DH-AL-02	6.6M	zip bag
			DH-AL-03	50M	workshop box

SPECIFICATION	USE	PART NO.			PACKAGE
		SHIMANO	CAMPAGNOLO	MTB UNIVERSAL	
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-TSC-01	BI-C-TSC-01	BI-M-TSC-01	1 PC/HEADER CARD
		BI-S-TSC-02	BI-C-TSC-02	BI-M-TSC-02	50 PCS/BOX
		BI-S-TSC-03	BI-C-TSC-03	BI-M-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-TSC-01	DI-C-TSC-01		1 PC/HEADER CARD
		DI-S-TSC-02	DI-C-TSC-02		50 PCS/BOX
		DI-S-TSC-03	DI-C-TSC-03		100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SS-01	BI-C-SS-01	BI-M-SS-01	1 PC/HEADER CARD
		BI-S-SS-02	BI-C-SS-02	BI-M-SS-02	50 PCS/BOX
		BI-S-SS-03	BI-C-SS-03	BI-M-SS-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SS-01	DI-C-SS-01		1 PC/HEADER CARD
		DI-S-SS-02	DI-C-SS-02		50 PCS/BOX
		DI-S-SS-03	DI-C-SS-03		100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SG-01	BI-C-SG-01	BI-M-SG-01	1 PC/HEADER CARD
		BI-S-SG-02	BI-C-SG-02	BI-M-SG-02	50 PCS/BOX
		BI-S-SG-03	BI-C-SG-03	BI-M-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SG-01	DI-C-SG-01		1 PC/HEADER CARD
		DI-S-SG-02	DI-C-SG-02		50 PCS/BOX
		DI-S-SG-03	DI-C-SG-03		100 PCS/ BOX



# ACCESSORIES



	item	spec
	CAPBP 01	Plastic fits 5mm brake housing
	CAPDP 01	Plastic fits 4mm shift housing
	CAPBC 01	Copper pressed fits 5mm brake housing
	CAPDC 01	Copper pressed fits 4mm shift housing
	CAPBA 01	Aluminum CNC mahchined fits 5mm brake housing
	CAPDA 01	Aluminum CNC mahchined fits 4mm shift housing
	TIP 01	Aluminum pressed fits 1.5mm inner wire
	RB-01	*nylok anti loosen treated *T25 TORX * M5*10mm



# BARADINE





# BARADINE

Baradine Rubber Industrial Co., Ltd.

50064 No. 377, Punei St., Yenho Li, Changhua, Taiwan

Tel : 886-4-7112650 Fax : 886-4-7120839

E-mail : [baradine@ms25.hinet.net](mailto:baradine@ms25.hinet.net)

