



OEM PRODUCTS GUIDE

BARADINE

INTRODUCTION

Since its foundation, Baradine has been renowned as market leader for cycle braking products. This reputation is strengthened by it's technical expertise and thirty years experience. A commitment to research, development, testing and manufacture and above a passion for cycling ensures that Baradine leads were others can only follow.

Baradine products are manufactured to exacting standards using scientifically developed compounds and designs for each and every type of braking system. This is achieved by talking account of specific operational requirements and environmental conditions. So whether your taking a leisurely Sunday morning ride, competing in tour de France or taking on the best in the down hill championships, you can be confident that your brakes will meet and exceed your expectations.


The Baradine logo on your braking products is your guarantee of performance, reliability, durability and quality; don't settle for second best.

CONTENTS

01	ROTOR	03	ADAPTOR
05	DISC PADS	12	ABS TECH
13	EXTRA LIGHT	14	V-TYPE
16	ROAD	19	CANTILEVER
21	ВМХ	22	COOLING SOLUTION
25	HYDRAULIC HOSE	26	OUTER CASING
27	INNER WIRE	28	ACCESSORIES


ROTOR





Excellent heat dissipation

Size			Weight		
160mm			111.5g		
180mm			138.5g		
Color	Red	Black	Blue	Gold	Silver




DB-08TP

DB-08TP

- Outer Disc:SUS410
- Inner Disc:7075-T6
- Excellent heat dissipation
- 2-piece

Size			Weight		
160mm			100.5g		
180mm			123.5g		
Color	Red	Black	Blue	Gold	Silver



DB-01

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	115.5g
180mm	135.5g
203mm	194.5g



DB-07


- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight	
10mm	68g	
50mm	85g	
30mm	106.5g	
35mm	107.5g	
03mm	131g	
40mm 50mm 80mm 85mm	68g 85g 106.5g 107.5g	

DB-07D

Spider with optional color

Color						\circ
COIOI	Black	Blue	Red	Green	Gold	White



DB-10

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear


Size	Weight
160mm	91g
180mm	116g
203mm	127g



DB-02

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
140mm	94g
160mm	140g
180mm	173.5g
203mm	200.5g



DB-05

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	83.5g
180mm	111.5g
203mm	143g

DB-05D

Spider with optional color

Color						\bigcirc
20101	Black	Blue	Red	Green	Gold	White



DB-12

- Stainless steel 410
- Size : 200mm
- Superior heat dissipation
 6pcs bolts included
- Excellent disc wear

ADAPTOR DISC BRAKE







PM-PM-F180 PM-PM-F203 FM-FM-R160 PM-FM-R140 PM-FM-R160 PM-FM-F140

Color Blue	Red	Gold
------------	-----	------

CALIPER	FORK	FRAME	ROTOR	ITEM NO.
	IS		160	PM-IS-F160
	IS		180	PM-IS-F180
	IS		203	PM-IS-F203
20.4	PM		180	PM-PM-F180
PM	РМ		203	PM-PM-F203
		IS	160	PM-IS-R160
		IS	180	PM-IS-R180
		IS	203	PM-IS-R203
		FM	160	FM-FM-R160
FM		PM	140	PM-FM-R140
		PM	160	PM-FM-R160
	PM		140	PM-FM-F140



CHAMFERED ROTOR

For who may have safety concern on 90° edges of rotor, Baradine offers optional CNC chamfer service on your rotor, please be awared that only DB-07/DB-12 could be chamfered.

CENTER LOCK

FEATURE

- 1. Precision broached spline
- 2.CNC aluminum shoulder pins
- 3.Steel carrier plate
- 4.CNC aluminium locking ring
- 5.Fit 9mm Axle(QR)
- 6.Torque 30Nm

ADVANTAGES

Min black-lash Extremely light weight(23g) Improved strength























Sintered compound is designed to produce consistent performance in all condition, offer high durability and high resistance to contamination by mud, water, sand and grit.



Semi compound is specially formulated to produce excellent all around performance, perfect for everyday use.



Organic compound is softer than other compounds, it's gentle to your disc with superior performance, great initial bite feel and quiet, perfect for dry condition



alumimum plate is more than 30% lighter than tranditional steel plate *at current only avaliable on DS-10/DS-17/DS-44/DS-52

The appearance of backing plates may have minor difference due to different coumpound applied.

DS-09 +SP-09 @





Shimano XT BR-M755, Grimeca system8, Sram Mechanical 9.0, Hope Mono M4/ Tech M4 /The cleg/Stealth Race E4/ Tech4 E4, Trickstuff the cleg 4



DS-09R+SP-09



DS-09S+SP-09







Shimano Deore(BR-M375 / M395 / M415 / M416 / M416A / M445 / M446 / M447 / M465 / M475 / M485 / M486 / M495 / M515 / M515LA / M525 / M575 /T615), Nexave (BR-C501 / C601), LX BR-T675 / RST D-Power Mech / Tektro Aquila MD-M500, Auriga (HD-M290/M291/T530/ T525 / T520 / E530 / E525 / E520 / E500), Draco2 HD-M352, Orion(SL HD-M740, HD-M730, $\ensuremath{\mathsf{HD\text{-}M725}})$, Gemini(SL HD-M520 / M521 , HD-M500 / M501, HD-M510), HDC330 HD-M330, MD-M280, Aries MD-M300, Mira MD-C400, Volans HD-T710, Vela HD-T290, Dorado HD-E715/TRP Hylex, HY/RD, Spyre SLC Spyre, Spyke, Dash Sport / Giant MPH Root



DS-10R+SP-10



DS-10S+SP-10



DS-10A+SP-10

DS-15+SP-15 @





Shimano Deore, Naxave BR-M555 hydraulic



DS-15R+SP-15



DS-15S+SP-15

DS-17+SP-17 @





Shimano XTR(BR-M965 / M966 / M975 / M975P), Saint(BR-M800), Hone(BR-M601), SLX(BR-M665), Deore XT(BR-M765 / M775) , Deore LX(BR-M585) (BR-T665), Deore(BR-M535 / M595 / M596), Alfine(BR-S500 / S501), BR-M545, BR-R505, BR-T605 / TRP Dash , Parabox



DS-17R+SP-17



DS-17S+SP-17 DS-17A+SP-17

DS-43+SP-43 @





Shimano Saint (M810 / M820), Zee M640 / TekTro Quadiem, Quadiem SL



DS-43R+SP-43



DS-43S+SP-43

DS-52+SP-52 @






Shimano XTR (BR-M9000 / M9020 / M987 / M988 / M985), XT (BR-M8000 / M785), SLX (BR-M675 / M666), ALFINE BR-S700, DEORE (BR-M615, BR-RS785 / R785 / CX75 / R515 / R315) / FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 / REVER MCX1



DS-52R+SP-52



DS-52A+SP-52

DS-63+SP-63 @





Shimano Direct Mount (BR-RS505 / RS805) Dura Ace BR-R9170 (BR-RS805 / BR-RS505 / BR-RS405 / BR-RS305)



DS-63R+SP-63

DS-11+SP-11 @





Avid Juicy(carbon/3/5/7/ulitmate), BB7 mechanica / Promax DSK-950



DS-11R+SP-11



DS-11S+SP-11






AVID / SRAM

DS-34+SP-34 @





Avid Code(2007~2010), Code(5/7)






DS-38+SP-38 @





Avid BB5 mechanica






DS-44+SP-44 @





Avid Elixir (1 / 3 / 5/ VIA GT / 7 / 9 / R / CR) SRAM XX , X0 , DB (5 / 3 / 1) , Level TL,T,Level

W DS-44R+SP-44



DS-44A+SP-44

DS-54+SP-54 @





Avid CODE R , CODE(2011~2017)

DS-54R+SP-54

OS-54S+SP-54

DS-55+SP-55 @





Avid DB(1/3/5)

OS-55R+SP-55

DS-56+SP-56 @





Avid road RED / SRAM HRD eTap HRD Level Ultimate,TLM

DS-56R+SP-56

OS-56S+SP-56

DS-57+SP-57 @





Avid XO Trail , Elixir (7 Trail / 9 Trail) / SRAM Guide (ulitmate / RSC / RS / R)

○ DS-57R+SP-57

DS-57S+SP-57

DS -04 😩



Magura Louise 1999~2001, Clara ~2000

DS-04R

DS-04S

DS-12+PIN-12 **(4)**






Magura Julie 2001 - 2008, Lousie 2007 **DS-12R+PIN-12**

OS-12S+PIN-12



DISC PADS



DS -39 @



Hope mono Trail, Trial Zone



DS-39R



DS-39S

DS-48+SP-48 @





Hope Tech V2, mini X2



DS-48R+SP-48



DS-48S+SP-48

DS-58+SP-58 @





Hope V4 brake



DS-58R+SP-58

DS-64+SP-09 @





Hope E4 brake

DS-16+SP-16 @





Formula B4 (Extreme / Team / Pro / Pro+/SL/SL+), 4 Racing XC, Extreme (FR / DH&BR / Team / Pro SL)

DS-16R+SP-16

DS-16S+SP-16

DS-31+SP-31 @





Formula ORO, K18, K24

DS-31R+SP-31

DS-31S+SP-31

DS-42+SP-42 @





Formula The Mega, THE ONE, R1, FR, RX, RO, T1, C1, RR1

DS-42R+SP-42

DS-42S+SP-42

DS -08 @



Tektro IO, Novela<2010 hydraulic, mechanical



DS -46 @



Tektro Lyra IOX, Novela



DS-46R

DS-08S

DS-46S

DS-59+SP-59 @





Tektro Dorado HD-E710



OS-59R+SP-59

DISC PADS



GIANT
PROMAX
PROMAX CANNONDALE





Giant MPH 2001~2005



₩ DS-21R



DS-21S





Promax

A+B: DKS-(200/200S/400/400E/ 400S/610) mechanical B+B: DKS-200/700 mechanical



DS-30R

DS-03 @



Cannondale Coda Caliper



DS-03R

DS-06



Rst mechanical



DS-23 @



Alhonga SNG Mechanical Disc Brake 200M Zoom DB250/350/450/550



DS-23R

DS-25 @



Logan DX 2001 / 2002



DS-25R

DS-27+SP-27 (3)





SR Suntour DB XCC-HD hydraulic



W DS-27R+SP-27

DS-32 **(4)**



Dia-tech Anchor / Armor



DS-32R

ABS TECH

ANTI-LOCK BRAKE SYSTEM

- Avoid pitching over
- More braking control
- Shorten braking distance
- Suspension feeling



ABS-01RC

- Length: 55mm
- 2-piece Road brake shoe





- Length: 55mm
- Replacement of ABS-01RC



- Length: 72mm
- 2-piece V-brake shoe set



ABS-01VCR

- Length: 72mm
- Replacement of ABS-01VC



ABS-02V

- One-piece ABS-function V-brake shoes
- Length: 72mm

EXTRA LIGHT







C55D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Gold, Pink/Blue
- CNC machined brake holders Compatible with all major V-BRAKE
- Length: 72mm



472C

- Shimano, TRP and all major road brake system compatible
- Full CNC machined extra-light holder
- High-friction coefficient compound



500C

- Lightweight cartridge type brake
- Triple contour design



460 CL

- Campagnolo compatible-2011
- Extra-light holder with fixing spring
- High-friction coefficient compound









C56D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/ Blue, Pink/Blue
- CNC machined brake holders
 Compatible with all major Road Brake



MTB-971VC

- Extra-light V-brake shoes design
- High braking coefficient rubber compound

V-TYPE BRAKE SHOES



Length: 72mm



MTB-945VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: silver, black



MTB-945VCR

- Replacement of MTB-945VC
- Pads & pins only
- Length: 72mm



MTB-955VC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black
- Available for triple-color pad
- Length: 72mm



MTB-955VCR

- Replacement of MTB-955VC
- Avallable for triple-color pad
- Pads & Pins only
- Length: 72mm



- Aluminum-Pad Holder
- Avallable for triple-color pad
- Length: 72mm



MTB-959V

- Length: 72mm v-brake pads
- New agua-guide design



MTB-959VC

- Length: 72mm
- All weather compound
- New groove design



MTB-959VCR

- Replacement of MTB-959VC
- Pad & pins only
- Length: 72mm



MTB-960V

- Length: 72mm V-brake pads
- Triple contour design



MTB-470CV

- Length: 55mm
- Triple-contour road brake pad
- Triple-color
- Suitable for folding bike



- Length: 55mm
- Suitable for folding bike

V-TYPE BRAKE SHOES ----



Length: 55mm



MTB-943V

Length: 65mm



Length: 70mm



MTB-947V

- Length:70mm
- Avaliable for two-tone color
- Color options:Red/Yellow/Black



MTB-948V

Length: 60mm



- MTB-948D
- V-Brake Shoes Set
- Black Threaded Type
- Transparent & Blue/ Red Brake Block For Alloy Rims
- Length:60 mm



MTB -956V

- 72mm
- Thin, easy-fitting and powerful pads



MTB -957V

Length: 70mm



- 72mm cartridge brake shoes set
- Aluminum-Pad Holder



- Corratec Bow design
- Length: 76mm
- Color options: Red/Yellow/Silver











ROAD BRAKE SHOES



453-2

- Length: 55mm
- For Alloy rim use
- Compatible with Shimano direct mount type brake
- Replacement of 453C/432C/456C/456CL/459C/472C/C56D/453CV



- Length: 55mm road brake
- EN standard compound













- Length: 55mm road brake
- Compatible with Shimano/SRAM brake systems.





- Length: 55mm road brake
- Ultra light holder design
- Angle adjustable designed



456 C

- 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Angle adjustable designed



- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Ditch way design for wet condition



- Length: 55mm
- Ditch way design for wet condition
- Replacement of 457C



459 C

- 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Finish: Silver, Matt black

ROAD BRAKE SHOES ---



460 -2

- Length: 55mm
- For Allov rim use
- Compatible with Campagnolo system (spring hole type)



- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black



- 55mm cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10
- Finish: Silver, matt black



- Length: 55mm
- For Alloy rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLA

5-in-1 Brake Shoes



476 (Alloy Rim) 476-AP (Carbon Rim)

 Various compounds are avaiable for carbon rims or alloy rims • Low-profile design for wider rim (23mm and up) use Compatible with 5 types of cartridges as shown below **Standard Direct Mount Universal** Shimano & **Sram System Standard Direct Mount** Campagnolo System



468 SC

Compatible with Shimano and all major road brake system

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



Compatible with campy (Up To Speed 11)

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



- Compatible with both Shimano & Campy brake
- For Alloy Rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



- 55mm cartridge road brake shoes set
- Aluminum pad holder
- All weather compound
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Triple-color pad



- 55mm
- Replacement of 461C
- Triple-color pad



- Triple-contour road brake pad
- Compatible with all major road brake
- Extra-light holder
- Triple-color
- Holder color available: red, white, black





- Replacement of 470TC
- Length: 55mm



- Extra light road brake set
- Compatible with all major road brake
- Cartridge available in Ti/Black/Red/Orange





- Replacement of 471C
- Length: 55mm

ROAD BRAKE SHOES ----



- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



MTB-950T

- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



450

Length: 50mm



451

Length: 50mm



Length: 50mm





458

- Length: 55mm road brake
- Angle adjustable

CANTILEVER BRAKE SHOES





Length: 55mm





MTB-936

Length: 65mm



MTB-937

Length: 60mm



MTB-938

• Length: 65mm



MTB-939

- Hardened aluminum post
- Length: 64mm
- Color options: Red



MTB-939U

- Threaded type
- Length: 64mm



MTB-945

- Hardened steel post
- Length: 72mm

MTB-945VCP

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver anodized
- Length: 72mm
- Replacement pads=model No. MTB-945VCR



- Hardened steel post
- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow

Color







- Corratec Bow design
- Hardened aluminum post
- Length: 76mm
- Color options: Red/Yellow/Silver

Color













CALIPER BRAKE SHOES

203

• Length: 35mm, 40mm





203 MW

- Length:40 mm
- Taper: 8°
- Embeded Leather Strip



206S

Length: 35mm





207

- Length: 40mm
- X pattern

BMX BRAKE SHOES ----



MTB -948V Clear

- Length: 60mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: shown as above



- Length: 50mm
- Clear compound for Trial bikes
- Fit MAGURA hydraulic rim brake

MTB -960V Clear

- Length: 72mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: shown as above



MX-300

Length: 45mm

COOLING SOLUTION

CARBON COMPOUND

this is an outstanding compound that gives excellent performance on all carbon rims, giving market leading performance in both dry/wet conditions. As such this is baradine's NO1 selling compound and is universally considered as the ideal all round performance that allows users to brake with assertiveness that only comes from knowing your riding the best; which is why its also selected by all after market brands which Baradine supply

CERAMIC COMPOUND

If you ride ceramic rims then the only compound you'll want to use is Baradine

Baradine has develop a range of super sticky compounds specifically for trails use where you needs huge amounts of stopping power instantaneously , for this compound pad wear / noise take fourth place for the characteristics profile following performance , performance and performance



467 CLC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, anodized
- Length: 55mm








467 KA

- Length: 55mm
- For carbon rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLC

COOLING SOLUTION



Water Remove



468-PRO

- For Carbon rim
- Length: 55mm
- All weather compound
- Anti-Squeal design
- Replacement of 468SC/468CC



all major road brake system

468CC-PRO

Compatible with CAMPY brake (Up to 11 speed)

- For Carbon rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



468SC-PRO

- Compatible with Shimano brake
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design

PRO COMPOUND



453-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Shimano direct mount type brake
- Replacement of 453C



460-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Campagnolo system (spring hole type)



959VCR-PRO

- Length: 72mm
- For Carbon rim use only
- Compatible with V-brake
- Replacement of 959VC



453 - 2-CORK

- Use with carbon rims only
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra&Dura-Ace



460 - 2 - CORK

- Use with carbon rims only
- Replacement of 460C
- Compatible with Campagnolo Record, Chorus, Centaur&Veloce 2000



453-2-CE

- Use with ceramic rims only.
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace



460-2-CE

- Use with ceramic rims only.
- Replacement of 460C
- Compatible with Campangnolo Record 10, Chorus 10, Centaur 10



MTB-945VCR-CE

- Use with ceramic rims only.
- Replacement of 945VC
- Pads & pins only
- Legth:72mm



473 CL

- Shimano, TRP and all major road brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



474 CL

- Campagnolo brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



473

■ Replacement of 473CL



474

■ Replacement of 474CL

HYDRAULIC HOSE



Part No.	Material	Compatible Systems	End Fittings	
	AVID	6 5		
BH-101	KEVLAR+NYLON		HP-A-01	
BH-111	KEVLAR+YARN	JUICY 5/7/ULTIMATE/XX	T	
BH-121	KEVLAR+STAINLESS		2	
BH-102	KEVLAR+NYLON			
BH-112	KEVLAR+YARN	JUICY 3/3.5, ELIXIR 1/3, code/5/r	HP-A-02	
BH-122	KEVLAR+STAINLESS	ELIXIII 1/3, codc/3/1		
BH-103	KEVLAR+NYLON		HP-A-03	
BH-113	KEVLAR+YARN	ELIXIR R/CR/5/7/9 xo	-	
BH-123	KEVLAR+STAINLESS		0 =====================================	
	SHIMANO	Ø 5	23	
BH-201	KEVLAR+NYLON	XTR 2007-2010,		
BH-211	KEVLAR+YARN	XT 2008-2012, LX 2005-2012,	HP-S-01	
BH-221	KEVLAR+STAINLESS	DEORE 2005-2012		
BH-202	KEVLAR+NYLON		HP-S-02	
BH-212	KEVLAR+YARN	XTR 2005-2006		
BH-222	KEVLAR+STAINLESS		2= ■ □	
BH-203	KEVLAR+NYLON		HP-S-03	
BH-213	KEVLAR+YARN	DEORE XT 2005-2007		
BH-223	KEVLAR+STAINLESS		2	
	MAGURA	6 5		
BH-301	KEVLAR+NYLON		HP-M-01	
BH-311	KEVLAR+YARN	MARTA/SL LOIUSE		
BH-321	KEVLAR+STAINLESS		() ====================================	
BH-302	KEVLAR+NYLON		HP-M-02	
BH-312	KEVLAR+YARN	MT 4/5/6/7/8 LOUISE FR		
BH-322	KEVLAR+STAINLESS		<u>@</u> ■ 🚅	
	FORMULA	6 5)	
BH-401	KEVLAR+NYLON		HP-F-01	
BH-411	KEVLAR+YARN	R1R/R1/RO/RX/T1/MEGA		
BH-421	KEVLAR+STAINLESS		2	
	HAYES	(5.4)		
BH-501	KEVLAR+NYLON		HP-H -01	
BH-511	KEVLAR+YARN	STROKER RYDE/DYNO	(i)-11-01	
BH-521	KEVLAR+STAINLESS		-	
	TEKTRO			
BH-601	KEVLAR+NYLON	AURIGA PRO 2009-2010	HP-T-01	
BH-611	KEVLAR+YARN	AURIGA COMP HDC330	○	
BH-621	KEVLAR+STAINLESS	DRACO WS	-	

COLOR OPTIONS					
KEVLAR+NYLON	KEVLAR+YARN	KEVLAR+STAINLESS			

OUTER CASING BRAKE SHIFT

MATERIAL	COLOR	SPECIFICATION	Part. No.	LENGTH	PACKAGE
	GN RD BK	 Standard 2P coiled brake housing 	BH-SD-01	2.5m	header card
			BH-SD-02	7.5m	zip bag
SD			BH-SD-03	50m	workshop box
	YW BE		DH-SD-01	2.2M	header card
	PK OE	•Standard SP linear shift housing	DH-SD-02	6.6M	zip bag
	WE		DH-SD-03	50M	workshop box
			BH-YN-01	2.5m	header card
	YBE	•Yarn braided 2P brake housing	BH-YN-02	7.5m	zip bag
YN	YSR		BH-YN-03	50m	workshop box
	YRD YPK		DH-YN-01	2.2M	header card
	YGD	•Yarn braided SP linear shift housing	DH-YN-02	6.6M	zip bag
			DH-YN-03	50M	workshop box
		•Shiny gold/silver 2P brake housing	BH-LA-01	2.5m	header card
			BH-LA-02	7.5m	zip bag
LA	LSR		BH-LA-03	50m	workshop box
	LGD	•Shiny gold/silver SP linear shift housing	DH-LA-01	2.2M	header card
			DH-LA-02	6.6M	zip bag
			DH-LA-03	50M	workshop box
AL	BK WE RD YW	•Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •50% lighter than standard 2P •Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •35% lighter than standard SP	BH-AL-01	2.5m	header card
			BH-AL-02	7.5m	zip bag
			BH-AL-03	50m	workshop box
			DH-AL-01	2.2M	header card
			DH-AL-02	6.6M	zip bag
			DH-AL-03	50M	workshop box

INNER WIRE

CDECIFICATION	LICE	PART NO.			PACKAGE
SPECIFICATION	USE	SHIMANO	CAMPAGNOLO	MTB UNIVERSAL	FACKAGE
	BRAKE 1.7M/PC	BI-S-TSC-01	BI-C-TSC-01	BI-M-TSC-01	1 PC/HEADER CARD
		BI-S-TSC-02	BI-C-TSC-02	BI-M-TSC-02	50 PCS/BOX
TEFLON COATED		BI-S-TSC-03	BI-C-TSC-03	BI-M-TSC-03	100 PCS/ BOX
SLICK TREATMENT	SHIFT 2.1M/PC	DI-S-TSC-01	DI-C-TSC-01		1 PC/HEADER CARD
		DI-S-TSC-02	DI-C-TSC-02		50 PCS/BOX
		DI-S-TSC-03	DI-C-TSC-03		100 PCS/ BOX
	BRAKE 1.7M/PC	BI-S-SS-01	BI-C-SS-01	BI-M-SS-01	1 PC/HEADER CARD
		BI-S-SS-02	BI-C-SS-02	BI-M-SS-02	50 PCS/BOX
STAINLESS STEEL		BI-S-SS-03	BI-C-SS-03	BI-M-SS-03	100 PCS/ BOX
SLICK TREATMENT	SHIFT 2.1M/PC	DI-S-SS-01	DI-C-SS-01		1 PC/HEADER CARD
		DI-S-SS-02	DI-C-SS-02		50 PCS/BOX
		DI-S-SS-03	DI-C-SS-03		100 PCS/ BOX
	BRAKE 1.7M/PC	BI-S-SG-01	BI-C-SG-01	BI-M-SG-01	1 PC/HEADER CARD
GALVANIZED STEEL SLICK TREATMENT		BI-S-SG-02	BI-C-SG-02	BI-M-SG-02	50 PCS/BOX
		BI-S-SG-03	BI-C-SG-03	BI-M-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SG-01	DI-C-SG-01		1 PC/HEADER CARD
		DI-S-SG-02	DI-C-SG-02		50 PCS/BOX
		DI-S-SG-03	DI-C-SG-03		100 PCS/ BOX





ACCESSORIES

item	spec
CAPBP 01	Plastic fits 5mm brake housing
CAPDP 01	Plastic fits 4mm shift housing
CAPBC 01	Copper pressed fits 5mm brake housing
CAPDC 01	Copper pressed fits 4mm shift housing
CAPBA 01	Aluminum CNC machined fits 5mm brake housing
CAPDA 01	Aluminum CNC machined fits 4mm shift housing
TIP 01	Aluminum pressed fits 1.2/1.5mm inner wire
RB-01	■ nylok anti loosen treated ■ T25 TORX * M5*10mm





Baradine Rubber Industrial Co., Ltd.

Punei St.377, Changhua 50064, Taiwan Tel: 886-4-7112650 Fax: 886-4-7120839

E-mail: baradine@ms25.hinet.net