











BARAE! E www.baradine.com.tw

Security

Reliability

Durability

Originality













E VI PRODUCTS GUIDE



Since its foundation, Baradine has been renowned as market leader for cycle braking products. This reputation is strengthened by it's technical expertise and thirty years experience. A commitment to research, development, testing and manufacture and above a passion for cycling ensures that Baradine leads were others can only follow.


Baradine products are manufactured to exacting standards using scientifically developed compounds and designs for each and every type of braking system. This is achieved by talking account of specific operational requirements and environmental conditions. So whether your taking a leisurely Sunday morning ride, competing in tour de France or taking on the best in the down hill championships, you can be confident that your brakes will meet and exceed your expectations.

The Baradine logo on your braking products is your guarantee of performance, reliability, durability and quality; don't settle for second best.

BARADINE

CONTENTS

01	ROTOR	03	ADAPTOR
05	DISC PADS	12	ABS TECH
13	EXTRA LIGHT	14	V-TYPE
16	ROAD	19	CANTILEVER
21	ВМХ	22	COOLING SOLUTION
25	HYDRAULIC HOSE	26	OUTER CASING
27	INNER WIRE	28	ACCESSORIES






DB-08TP

- Outer Disc:SUS410
- Inner Disc:7075-T6
- Excellent heat dissipation
- 2-piece

Size	Weight		
160mm	100.5g		
180mm	123.5g		
Color	Red Black		



DB-01

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	115.5g
180mm	135.5g
203mm	194.5g



DB-07


- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
140mm	68g
160mm	85g
180mm	106.5g
203mm	131g

DB-07D

Spider with optional color


Color					
COIOI	Black	Blue	Red	Green	Gold



DB-10

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear


Size	Weight
160mm	91g
180mm	116g
203mm	127g



DB-02

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
140mm	94g
160mm	140g
180mm	173.5g
203mm	200.5g



DB-05

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	83.5g
180mm	111.5g
203mm	143g

DB-05D

Spider with optional color

Color					
COIOI	Black	Blue	Red	Green	Gold



DB-12

- Stainless steel 410
- Size : 200mm
- Superior heat dissipation
 6pcs bolts included
- Excellent disc wear

ADAPTOR DISC





PM-PM-F180 PM-PM-F203 FM-FM-R160 PM-FM-R140 PM-FM-R160 PM-FM-F140

Color Blue	Red	Gold
------------	-----	------

CALIPER	FORK	FRAME	ROTOR	ITEM NO.
	IS		160	PM-IS-F160
	IS		180	PM-IS-F180
	IS		203	PM-IS-F203
PM	PM		180	PM-PM-F180
PIVI	PM		203	PM-PM-F203
		IS	160	PM-IS-R160
		IS	180	PM-IS-R180
		IS	203	PM-IS-R203
FM		FM	160	FM-FM-R160
		PM	140	PM-FM-R140
TIVI		PM	160	PM-FM-R160
	PM		140	PM-FM-F140

* Note : FM=Flat Mount

BOOST Hub Adapter



	BOOST FORK 110x15mm	BOOST FRAME 148x12mm
MTB FORK 100x15mm	BC-05(5mm)	
MTB FRAME 142x12mm		BC-04(3mm)
a Alivesia una COC1 TC N	1 = 4 =; = 1	

- Aluminum 6061-T6 Material
- 1 set=1xHub Adapter, 2xSpacers, 6xScrews

CENTER LOCK

FEATURE

- 1. Precision broached spline
- 2.CNC aluminum shoulder pins
- 3.Steel carrier plate
- 4.CNC aluminium locking ring
- 5.Torque 30Nm

ADVANTAGES

Min black-lash Extremely light weight(23g) Improved strength



Fit 9/10/12mm Axle



Fit 9/10/12/15mm Axle















DISC BRAKE PADS

Reliable organic compound pads with multiple aluminum heat-sink pillars. Help heat dissipating quickly.





Sintered compound is designed to produce consistent performance in all condition, offer high durability and high resistance to contamination by mud, water, sand and grit.



Semi compound is specially formulated to produce excellent all around performance, perfect for everyday use.



Organic compound is softer than other compounds, it's gentle to your disc with superior performance, great initial bite feel and quiet, perfect for dry condition

* The appearance of backing plates may have minor difference due to different coumpound applied.

DS-09+SP-09 @






Shimano XT BR-M755 , Grimeca system8 , Sram Mechanical 9.0 , Hope Mono M4/ Tech M4 /The cleg/Stealth Race E4/ Tech4 E4 , Trickstuff the cleg 4



DS-09R+SP-09



DS-10+SP-10 @






Shimano Deore(BR- M375 / M395 / M415 / M416 / M416A / M445 / M446 / M447 / M465 / M475 / M485 / M486 / M446 / M525 / M515 / M515LA / M525 / M575 / T615) , Nexave (BR-C501 / C601) , LX BR-T675 / RST D-Power Mech / Tektro Aquila MD-M500 , Auriga (HD-M290 / M291 / T530 / T525 / T520 / E530 / E525 / E520 / E500) , Draco2 HD-M352 , Orion(SL HD-M740 , HD-M730 , HD-M725) , Gemini(SL HD-M520 / M521 , HD-M500 / M501,HD-M510) , HDC330 HD-M330 , MD-M280 , Aries MD-M300 , Mira MD-C400 , Volans HD-T710 , Vela HD-T290 , Dorado HD-E715 / TRP Hylex , HY/RD , Spyre SLC Spyre , Spyke , Dash Sport / Giant MPH Root



DS-10R+SP-10



DS-15+SP-15 @





Shimano Deore , Naxave BR-M555 hydraulic



DS-15R+SP-15



DS-17+SP-17 @





Shimano XTR(BR-M965/M966/M975/M975P),
Saint(BR-M800),Hone(BR-M601),SLX(BR-M665),
Deore XT(BR-M765/M775/M776),Deore LX
(BR-M585/T605/T665),Deore(BR-M535/M595/M596), (Alfine(BR-S500/S501),BR-M545,BR-R505,BR-T605/TRP Dash carbon,Parabox



DS-17R+SP-17

OS-17S+SP-17

DS-43+SP-43 @





Shimano XTR BR-M9120,XT BR-M8020 , Saint (M810/M820),Zee M640,BR-MT520/ TRP Quadiem,Quadiem SL,Slate T4 / Tektro HD-(M735/M745/755),HD-E720/E725



DS-43R+SP-43

OS-43S+SP-43

DS-52+SP-52 @





Shimano XTR (BR-M9000/M9020 /M987/M988/ M985),XT (BR-M8000 /M785),SLX (BR-M7000/ M675/M666),DEORE BR-(M6000/M615), ALFINE BR-S700,BR-(RS785/R785/CX75/R515/ R315)/FSA K-Force DB-TX-9000,Afterburner DB-TX-9150/REVER MCX1 Post Mount



DS-52R+SP-52

Sinter

DS-52S+SP-52

DS-63+SP-63 @





Shimano Dura Ace BR-R9170,Ultegra BR-R8070, XTR BR-M9100,BR-(RS305/RS405/RS505/RS805)/ Tektro HD-R310/ REVER MCX1 Flat Mount



DS-63R+SP-63

DS-11+SP-11 (3)





Avid Juicy(carbon/3/5/7/ultimate), BB7 mechanical /Promax DSK-950



DS-11R+SP-11



DS-11S+SP-11



DS-34+SP-34 @





Avid Code(2007~2010), Code(5/7)



DS-34R+SP-34



DS-34S+SP-34

DS-38+SP-38 @





Avid BB5 mechanical/Promax (DC-710/720/913),(DSK 300/300R/ 310 /330R/717/717R),Render,Render R



DS-38R+SP-38



DS-38S+SP-38

DS-44+SP-44 @





Avid Elixir (1 / 3 / 5 / VIA GT / 7 / 9 / R / CR) SRAM XX , XO , DB (5/3/1), Level TL,T,Level



DS-44R+SP-44

DS-44S+SP-44

DS-54+SP-54 @





Sram Code 2011-2017/R/RSC, Guide RE



DS-54R+SP-54

OS-54S+SP-54

DS-55+SP-55 @





Avid DB(1/3/5)

DS-55R+SP-55

DS-56+SP-56 @





Avid road RED / SRAM HRD eTap HRD Level Ultimate,TLM



DS-56R+SP-56

DS-56S+SP-56

DS-57+SP-57 @





Avid XO Trail, Elixir (7 Trail/9 Trail)/ SRAM Guide (ultimate/RSC/RS/R/ T/G2 ultimate)



OS-57R+SP-57

DS-57S+SP-57

DS -04 @



Magura Louise 1999~2001, Clara ~2000



DS-04S

DS-12+PIN-12 (4)





Magura Julie 2001 - 2008, Lousie 2007

DS-12R+PIN-12


DS-12S+PIN-12

DS-14+PIN-12 @







Magura Clara 2001 - 2002, Louise Louise 2002 - 2006, Louise FR 2002 / Promax DSK-903



DS-14S+PIN-12





DS-48+SP-48 @





Hope Tech V2, mini X2



DS-48R+SP-48



DS-48S+SP-48

DS-58+SP-58 @





Hope V4 brake



OS-58R+SP-58

DS-64+SP-09 @





Hope E4 brake

DS-16+SP-16 @





Formula B4 (Extreme / Team / Pro / Pro+/SL/SL+), 4 Racing XC, Extreme (FR / DH&BR / Team / Pro SL)

DS-16R+SP-16

OS-16S+SP-16

DS-31+SP-31 @





Formula ORO, K18, K24

DS-31R+SP-31

DS-31S+SP-31

DS-42+SP-42 @





Formula Mega, RO Racing, T1 Racing, R1 Racing, The one, R1, FR, RX, RO, T 1,C1,CR3,RR1

DS-42R+SP-42

DS-42S+SP-42

DS-65+SP-65 @





Formula Cura 4

DS -08 @



Tektro (Aquila/IO), Novela< 2010 hydraulic, mechanical



DS-08S

DS-46



Tektro Lyra IOX, Novela



DS-46R DS-46S

DS-59+SP-59 @





Tektro Dorado HD-E710



DS-59R+SP-59

DISC PADS



DS-21 @



Giant MPH 2001~2005



DS-21R



DS-21S

DS-30 @



A+B: Promax DKS-(200/200S/400/ 400E/400S/610)mechanical B+B: DKS-200/700 mechanical



DS-30R

DS-03 @



Cannondale Coda Caliper



DS-03R

DS-06



Rst mechanical



DS-23 @



Alhonga SNG Mechanical Disc Brake 200M Zoom DB250/350/450/550



DS-23R

DS-25 @



Logan DX 2001 / 2002



DS-25R

DS-27+SP-27 (3)



SR SUNTOUR DB XCC-MC Mechanical/Tektro SUB,e-sub, Twin, Volans/TRP Parabox 2011 Rear



OS-27R+SP-27

DS-32 @



Dia-tech Anchor/ Armor Promax DSK-901



DS-32R

ABS TECH

ANTI-LOCK BRAKE SYSTEM

- Avoid pitching over
- More braking control
- Shorten braking distance
- Suspension feeling







- Length: 72mm
- Replacement of ABS-01VC



ABS-02V

- One-piece ABS-function V-brake shoes
- Length: 72mm

EXTRA LIGHT







C55D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Gold, Pink/Blue
- CNC machined brake holders Compatible with all major V-BRAKE
- Length: 72mm



472C

- Shimano, TRP and all major road brake system compatible
- Full CNC machined extra-light holder
- High-friction coefficient compound



500C

- Lightweight cartridge type brake
- Triple contour design



460 CL

- Campagnolo compatible-2011
- Extra-light holder with fixing spring
- High-friction coefficient compound





- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/ Blue, Pink/Blue
- CNC machined brake holders
 Compatible with all major Road Brake



MTB-971VC

- Extra-light V-brake shoes design
- High braking coefficient rubber compound

V-TYPE BRAKE SHOES



Length: 72mm



MTB-945VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: silver, black



MTB-945VCR

- Replacement of MTB-945VC
- Pads & pins only
- Length: 72mm



MTB-955VC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black
- Available for triple-color pad
- Length: 72mm



MTB-955VCR

- Replacement of MTB-955VC
- Avallable for triple-color pad
- Pads & Pins only
- Length: 72mm



- Aluminum-Pad Holder
- Avallable for triple-color pad
- Length: 72mm



MTB-959V

- Length: 72mm v-brake pads
- New agua-guide design



MTB-959VC

- Length: 72mm
- All weather compound
- New groove design



MTB-959VCR

- Replacement of MTB-959VC
- Pad & pins only
- Length: 72mm



MTB-960V

- Length: 72mm V-brake pads
- Triple contour design



MTB-470CV

- Length: 55mm
- Triple-contour road brake pad
- Triple-color
- Suitable for folding bike



- Length: 55mm
- Suitable for folding bike

BRAKE SHOES





MTB -935V

Length: 55mm



MTB-943V

Length: 65mm



Length: 70mm



MTB-947V

- Length:70mm
- Avaliable for two-tone color
- Color options: Red/Yellow









MTB-948V

Length: 60mm



- V-Brake Shoes Set
- Black Threaded Type
- Transparent & Blue/ Red Brake Block For Alloy Rims
- Length:60 mm



MTB -956V

- 72mm
- Thin, easy-fitting and powerful pads



MTB-957V

Length: 70mm



- 72mm cartridge brake shoes set
- Aluminum-Pad Holder



- Corratec Bow design
- Length: 76mm
- Color options: Red/Yellow/Silver









ROAD BRAKE SHOES





453-2

- Length: 55mm
- For Alloy rim use
- Compatible with Shimano direct mount type brake
- Replacement of 453C/432C/456C/456CL/459C/ 472C/C56D/453CV/453D





453D

- 2-piece Brake shoe set
- For Ultegra BR-6810 direct-mount caliper



EN standard compound













Compatible with Shimano/SRAM brake systems.



456 CL

- Length: 55mm road brake
- Ultra light holder design
- Angle adjustable designed



456 C

- 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Angle adjustable designed



- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Ditch way design for wet condition



457

- Length: 55mm
- Ditch way design for wet condition
- Replacement of 457C



459 C

- 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Finish: Silver, Matt black

ROAD BRAKE SHOES ----



460-2

- Length: 55mm
- For Allov rim use
- Compatible with Campagnolo system (spring hole type)



- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black



- 55mm cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10
- Finish: Silver, matt black



- Length: 55mm
- For Alloy rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLA

5-in-1 Brake Shoes



476 (Alloy Rim) 476-AP (Carbon Rim)

- Various compounds are avaiable for carbon rims or alloy rims
- Low-profile design for wider rim (23mm and up) use
- Compatible with 5 types of cartridges as shown below



476 C

Shimano Standard Mount Brake Cartridge brake shoes set



- Length: 55mm
- For Alloy rim use



476 D

- Shimano DIRECT Mount Brake Cartridge brake shoes set
- Length: 55mm
- For Alloy rim use





468 SC

Compatible with Shimano and all major road brake system

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design





468 CC

Compatible with campy (Up To Speed 11)

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



- Compatible with both Shimano & Campy brake
- For Alloy Rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



- 55mm cartridge road brake shoes set
- Aluminum pad holder
- All weather compound
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Triple-color pad



- 55mm
- Replacement of 461C
- Triple-color pad



- Triple-contour road brake pad
- Compatible with all major road brake
- Extra-light holder
- Triple-color
- Holder color available: red, white, black





- Replacement of 470TC
- Length: 55mm



- Extra light road brake set
- Compatible with all major road brake
- Cartridge available in Ti/Black/Red/Orange





- Length: 55mm

ROAD BRAKE SHOES ----



- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



MTB-950T

- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



450

Length: 50mm



451

Length: 50mm



Length: 50mm





458

- Length: 55mm road brake
- Angle adjustable

CANTILEVER BRAKE SHOES



Length: 53mm



Length: 60mm



MTB-935

Length: 55mm



MTB-936

Length: 65mm



MTB-937

Length: 60mm



MTB-938

Length: 65mm



MTB-939

- Hardened aluminum post
- Length: 64mm
- Color options: Red



MTB-939U

- Threaded type
- Length: 64mm



MTB-945

- Hardened steel post
- Length: 72mm

MTB-945VCP

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver anodized
- Length: 72mm
- Replacement pads=model No. MTB-945VCR



- Hardened steel post
- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow

Color







- Hardened aluminum post
- Length: 76mm
- Color options: Red/Yellow/Silver











CALIPER BRAKE SHOES





• Length: 35mm, 40mm



203 MW

- Length:40 mm
- Taper: 8°
- Embeded Leather Strip





Length: 35mm





207

- Length: 40mm
- X pattern

BRAKE SHOES - - - - - -



MTB -948V Clear

- Length: 60mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: shown as above

MTB -950 clear

- Length: 50mm
- Clear compound for Trial bikes
- Fit MAGURA hydraulic rim brake

MTB -960V Clear

- Length: 72mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: shown as above



MX-300

Length: 45mm

COOLING SOLUTION

CARBON COMPOUND

this is an outstanding compound that gives excellent performance on all carbon rims, giving market leading performance in both dry/wet conditions. As such this is baradine's NO1 selling compound and is universally considered as the ideal all round performance that allows users to brake with assertiveness that only comes from knowing your riding the best; which is why its also selected by all after market brands which Baradine supply

CERAMIC COMPOUND

If you ride ceramic rims then the only compound you'll want to use is Baradine

Baradine has develop a range of super sticky compounds specifically for trails use where you needs huge amounts of stopping power instantaneously , for this compound pad wear / noise take fourth place for the characteristics profile following performance , performance and performance



467 CLC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, anodized
- Length: 55mm








467 KA

- Length: 55mm
- For carbon rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLC

COOLING SOLUTION



Water Remove



468-PRO

- For Carbon rim
- Length: 55mm
- All weather compound
- Anti-Squeal design
- Replacement of 468SC/468CC



all major road brake system

468CC-PRO

Compatible with CAMPY brake (Up to 11 speed)

- For Carbon rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



468SC-PRO

- Compatible with Shimano brake
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design

PRO COMPOUND



453-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Shimano direct mount type brake
- Replacement of 453C



460-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Campagnolo system (spring hole type)



959VCR-PRO

- Length: 72mm
- For Carbon rim use only
- Compatible with V-brake
- Replacement of 959VC



453 - 2-CORK

- Use with carbon rims only
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra&Dura-Ace



460 - 2 - CORK

- Use with carbon rims only
- Replacement of 460C
- Compatible with Campagnolo Record, Chorus, Centaur&Veloce 2000



453-2-CE

- Use with ceramic rims only.
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace



460-2-CE

- Use with ceramic rims only.
- Replacement of 460C
- Compatible with Campangnolo Record 10, Chorus 10, Centaur 10



MTB-945VCR-CE

- Use with ceramic rims only.
- Replacement of 945VC
- Pads & pins only
- Legth:72mm



473 CL

- Shimano, TRP and all major road brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



474 CL

- Campagnolo brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



473

■ Replacement of 473CL




474

■ Replacement of 474CL

HYDRAULIC Hose

Part No.	Material	Compatible Systems	End Fittings	
Part No.				
	AVID	Ø 5		
BH-101	KEVLAR+NYLON		HP-A-01	
BH-111	KEVLAR+YARN	JUICY 5/7/ULTIMATE/XX		
BH-121	KEVLAR+STAINLESS			
BH-102	KEVLAR+NYLON		HP-A-02	
BH-112	KEVLAR+YARN	JUICY 3/3.5, ELIXIR 1/3, code/5/r		
BH-122	KEVLAR+STAINLESS			
BH-103	KEVLAR+NYLON		HP-A-03	
BH-113	KEVLAR+YARN	ELIXIR R/CR/5/7/9 xo		
BH-123	KEVLAR+STAINLESS			
BH-104	KEVLAR+NYLON	Guide Ultimate Guide RS & R (2017) Guide RSC (2017)	HP-A-04	
BH-114	KEVLAR+YARN	Guide RE (2017) Code RSC & R (2018) Level Ultimate, TLM & TL		
BH-124	KEVLAR+STAINLESS	RED eTap HRD RED HRD Force HRD Rival HRD Apex HRD S-700		
	SHIMANO	65		
BH-201	KEVLAR+NYLON	XTR 2007-2010,	HP-S-01	
BH-211	KEVLAR+YARN	XT 2008-2012, LX 2005-2012,		
BH-221	KEVLAR+STAINLESS	DEORE 2005-2012	HP-S-02	
BH-202 BH-212	KEVLAR+NYLON		T Pr-5-02	
BH-222	KEVLAR+YARN KEVLAR+STAINLESS	XTR 2005-2006		
BH-203	KEVLAR+STAINLESS KEVLAR+NYLON		HP-S-03	
BH-213	KEVLAR+YARN	DEORE XT 2005-2007	1	
BH-223	KEVLAR+STAINLESS	DEGRE X1 2003 2007	<u> </u>	
	MAGURA	6 5		
BH-301	KEVLAR+NYLON		HP-M-01	
BH-311	KEVLAR+YARN	MARTA/SL LOIUSE		
BH-321	KEVLAR+STAINLESS		0 =====================================	
BH-302	KEVLAR+NYLON		HP-M-02	
BH-312	KEVLAR+YARN	MT 4/5/6/7/8 LOUISE FR	T ====================================	
BH-322	KEVLAR+STAINLESS		@= -8□	
	FORMULA	6 5		
BH-401	KEVLAR+NYLON		HP-F-01	
BH-411	KEVLAR+YARN	R1R/R1/RO/RX/T1/MEGA		
BH-421	KEVLAR+STAINLESS			
	HAYES	6.0		
BH-501	KEVLAR+NYLON		HP-H -01	
BH-511	KEVLAR+YARN	STROKER RYDE/DYNO	€ ∰ (11)	
BH-521	KEVLAR+STAINLESS			
	TEKTRO	65.4		
BH-601	KEVLAR+NYLON	AURIGA PRO 2009-2010 AURIGA COMP	HP-T-01	
BH-611	KEVLAR+YARN	HDC330	9− 🤐 (111)	
BH-621	KEVLAR+STAINLESS	DRACO WS		



OUTER CASING BRAKE SHIFT

MATERIAL	COLOR	SPECIFICATION	Part. No.	LENGTH	PACKAGE
	GN RD BK YW BE PK OE	•Standard 2P coiled brake housing	BH-SD-01	2.5m	header card
			BH-SD-02	7.5m	header card
SD			BH-SD-03	50m	workshop box
41111		Standard SP linear shift housing	DH-SD-01	2.2M	header card
			DH-SD-02	6.6M	header card
	WE		DH-SD-03	50M	workshop box
	YBE YSR YRD YPK YGD	•Yarn braided 2P brake housing	BH-YN-01	2.5m	header card
			BH-YN-02	7.5m	header card
YN			BH-YN-03	50m	workshop box
		■Yarn braided SP linear shift housing	DH-YN-01	2.2M	header card
			DH-YN-02	6.6M	header card
			DH-YN-03	50M	workshop box
	LSR LGD	•Shiny gold/silver 2P brake housing	BH-LA-01	2.5m	header card
			BH-LA-02	7.5m	header card
LA			BH-LA-03	50m	workshop box
		•Shiny gold/silver SP linear shift housing	DH-LA-01	2.2M	header card
			DH-LA-02	6.6M	header card
			DH-LA-03	50M	workshop box
	BK WE RD YW BE	*Alloy+steel linear SP brake housing *Double Kevlar reinforced *Pre-greased *50% lighter than standard 2P	BH-AL-01	2.5m	header card
			BH-AL-02	7.5m	header card
AL			BH-AL-03	50m	workshop box
		•Alloy+steel linear SP brake housing •Double Kevlar reinforced •Pre-greased •35% lighter than standard SP	DH-AL-01	2.2M	header card
			DH-AL-02	6.6M	header card
			DH-AL-03	50M	workshop box

INNER WIRE



CDECIFICATION	USE	PART NO.		DACKACE	
SPECIFICATION		SHIMANO	CAMPAGNOLO	MTB UNIVERSAL	PACKAGE
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-TSC-01	BI-C-TSC-01	BI-M-TSC-01	1 PC/HEADER CARD
		BI-S-TSC-02	BI-C-TSC-02	BI-M-TSC-02	50 PCS/BOX
		BI-S-TSC-03	BI-C-TSC-03	BI-M-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-TSC-01	DI-C-TSC-01		1 PC/HEADER CARD
		DI-S-TSC-02	DI-C-TSC-02		50 PCS/BOX
		DI-S-TSC-03	DI-C-TSC-03		100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SS-01	BI-C-SS-01	BI-M-SS-01	1 PC/HEADER CARD
		BI-S-SS-02	BI-C-SS-02	BI-M-SS-02	50 PCS/BOX
		BI-S-SS-03	BI-C-SS-03	BI-M-SS-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SS-01	DI-C-SS-01		1 PC/HEADER CARD
		DI-S-SS-02	DI-C-SS-02		50 PCS/BOX
		DI-S-SS-03	DI-C-SS-03		100 PCS/ BOX
GALVANIZED STEEL	BRAKE 1.7M/PC	BI-S-SG-01	BI-C-SG-01	BI-M-SG-01	1 PC/HEADER CARD
		BI-S-SG-02	BI-C-SG-02	BI-M-SG-02	50 PCS/BOX
		BI-S-SG-03	BI-C-SG-03	BI-M-SG-03	100 PCS/ BOX
SLICK TREATMENT	SHIFT 2.1M/PC	DI-S-SG-01	DI-C-SG-01		1 PC/HEADER CARD
		DI-S-SG-02	DI-C-SG-02		50 PCS/BOX
		DI-S-SG-03	DI-C-SG-03		100 PCS/ BOX





ACCESSORIES



item	spec
CAPBP 01	Plastic fits 5mm brake housing
CAPDP 01	Plastic fits 4mm shift housing
CAPBC 01	Copper pressed fits 5mm brake housing
CAPDC 01	Copper pressed fits 4mm shift housing
CAPBA 01	Aluminum CNC machined fits 5mm brake housing
CAPDA 01	Aluminum CNC machined fits 4mm shift housing
TIP 01	Aluminum pressed fits 1.2/1.5mm inner wire
RB-01	■ nylok anti loosen treated ■ T25 TORX * M5*10mm





Baradine Rubber Industrial Co., Ltd.

Punei St.377, Changhua 50064, Taiwan Tel: 886-4-7112650 Fax: 886-4-7120839

E-mail: baradine@ms25.hinet.net